

LevelOne 5dBi/8dBi 2.4GHz/5GHz Dual Band Omnidirectional Antenna, Indoor/Outdoor

Gamintojas: **LEVELONE** · Modelis: **OAN-4058** · EAN: **4015867205020** · Prekės kodas: **654242**



89,90 €

Kaina su PVM

Be PVM: **74,30 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Provides 5dBi/8dBi omnidirectional operation
- ✓ For IEEE 802.11a/b/g/n/ac Wireless applications in 2.4/5 GHz frequency range
- ✓ Low wind loading
- ✓ 30°C to 60°C operating temperature range



Aprašymas

The LevelOne OAN-4058 is an omni-directional antenna operating on the 2.4 GHz and 5GHz frequency that can be mounted either indoors or outdoors. The antenna's gain value 2.4GHz/5GHz is 5dBi/8dBi, and if mounted outdoors the IP65-rated weatherproof housing can withstand temperatures from minus 30°C up to 60°C, as well as rain, snow, dust and other harsh conditions.

Techninė specifikacija

Specifications

Sandėlio grupė

Server/Storage/Network > WLAN Module/Antennas [+185][-53]

Performance

Antenna gain level (max)	8 dBi
Frequency band	2.4 - 5 GHz
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Gain	5 / 8 dBi
Antenna gain (2.4 GHz)	5 dBi
Antenna gain (5 GHz)	8 dBi
Impedance	50 Ω
Horizontal beam width (2.4 GHz)	360°
Vertical beam width (2.4 GHz)	51.7°
Horizontal beam width (5 GHz)	360°
Vertical beam width (5 GHz)	27.7°
Features	
Antenna type	Omni-directional antenna
Antenna connector type	N-type
Connector gender	Female
Polarization	Vertical polarization
Voltage Standing Wave Ratio (VSWR)	2
Product colour	White
Operational conditions	
Operating temperature (T-T)	-30 - 60 °C
Operating relative humidity (H-H)	0 - 95%
Weight & dimensions	
Width	22 mm
Depth	203 mm
Height	22 mm
Weight	860 g
Packaging data	
Package width	70 mm
Package depth	60 mm
Package height	265 mm
Package weight	192 g
Package type	Blister
Packaging content	
Quantity per pack	1 pc(s)

Logistics data	
Harmonized System (HS) code	85177100
Country of origin	Taiwan
Master (outer) case width	480 mm
Master (outer) case length	560 mm
Master (outer) case height	290 mm
Master (outer) case gross weight	11 kg
Master (outer) case volume	50 cm³
Products per master (outer) case	50 pc(s)