Ricoh ScanSnap SV600 Projekcinis skeneris 285 x 218 DPI A3 Juoda, Balta

Gamintojas: **RICOH** · Modelis: **PA03641-B301** · EAN: **4939761308734** · Prekės kodas: **654375**

902,90 €

Kaina su PVM

Be PVM: **746,20 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Skenerio tipas: Projekcinis skeneris 285 x 218 DPI
- ✓ Spalvotas nuskaitymas
- ✓ A3 Palaikomas skenavimo medijos tipas: Vizitinė kortelė, Post Card(JPN)
- ✓ Maksimalus skanavimo dydis: 432 x 300 mm Jutiklio tipas: CCD
- ✓ USB prievadas
- ✓ Maitinimo tipas: AC 20 W

Aprašymas

- One touch operation for PC and Mac

- Scan a multitude of everyday documents including loose paper, bound material and delicate items
- Multi cropping capability allowing for scanning of various documents at the same time
- Continuous scanning capability with “page turning detection” and “timed scanning”
- “VI technology” helps minimise any unevenness in image quality
- Correct distortion and curvature of bound material with “Book Image Correction”
- Small footprint and robust design allows for easy positioning in any environment.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Digitise anything with ease

The ScanSnap SV600 allows you to scan newspapers, bound documents, magazines or books without the need for cutting or causing damage.

Scan anything from business cards to A3 size (landscape)* documents

Any documents larger than A4 such as maps, historical documents and blueprints can be simply positioned on the black pad and scanned directly without any extra effort. User interaction retouch tool allows the possibility to hold the document in a good position without worrying about fingers on the scanned image.
* The maximum document size will be 400 x 300 mm when the thickness of the document
is over 5 mm.

New VI technology

Equipped with “VI technology” which combines a ‘deep depth of field lens’, a ‘CCD linear image sensor’ and a ‘high directivity LED lamp’ the SV600 is able to comfortably minimise any unevenness in image quality and generate a smooth image even when scanning from a distance.

No problem scanning bound documents

The SV600 can comfortably scan books and magazines and also documents with sticky notes can be scanned without any issues.

No need to worry about your delicate documents or books

With “VI technology”, scanning can be performed without touching the document. You do not need to worry that documents such as crayon or oil paintings, pencil writings or photos will be damaged by touching.

Long depth of field lens
Wide auto focus area even when the focus distance is variable

CCD linear image sensor

Helps produce smooth images.

The SV600 scans documents with a movable head and incorporates a High directivity LED lamp

Helps maintain the same brightness level without any impact from surroundings.

Smooth operation with the assistance of various functions

The SV600 is enhanced with a host of customised features which helps continue ScanSnap’s concept of being simple, speedy and compact.

Quick Menu facilitates operability

ScanSnap’s Quick Menu will automatically pop up after scanning enabling you to link your scanned data to an application both quickly and easily, scan directly to the cloud for example thereby easily sharing your documents.

ScanSnap SV600 includes

Automatically crop several documents with ‘Multiple Document Detection”

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

In just one touch you can capture multiple documents of differing sizes in just one scan pass. Place several business cards, receipts and photos within the scanning area and the SV600 will capture all the documents and will intelligently crop to the exact size.
* Up to 10 documents can be cropped automatically. At least 15 mm
is needed between documents.

Fast start up time and scanning speed lead to time savings and efficiencies

The SV600 can be ready to scan in no time from power up and just 3 seconds is then required to scan an A3 landscape sized document.

Compact design with a small footprint

The SV600 is incredibly robust with a firm footing and is compact enough to enable efficient usage of your workspace without imposing to your daily routines when not in use.

Scan with one touch!

With a host of impressive features, you can continuously scan multiple pages smoothly.

Page Turning Detection

Automatically detect when the page is turned.

Timed Mode

- You can set the time to start scanning after the “Scan” button is pressed.
- For continuous scanning you can set the time interval before the next scanning to begin.

Auto image correction; enhances the reading experience

Book Image Correction – Automatically correct distortion caused by the curve of an opened book or magazine. You can confirm and fine tune the scanned images on the preview dialog after scanning or have this be performed automatically.

Book Image Correction

Can easily correctdistortion of the document.

User interaction retouch

Finger images scanned while suppressing the document can be deleted with ease.

ScanSnap Receipt
*
The ScanSnap Receipt software allows you to easily scan and extract information from your receipts, and even export the data for tax filing.

*Available via an online update only.

ScanSnap Sync*

With ScanSnap Sync built into ScanSnap Organizer software and the ScanSnap Connect app, captured documents are automatically synchronized with all your devices through Dropbox, Google Drive or Microsoft OneDrive.

*Available via an online update only.

The Nuance software allows users to read directly from cloud based applications and to save directly to those cloud based applications meaning that the possibility of using and sharing digital documents is extended. In case documents are intended to be managed locally, ScanSnap Organizer will

provide an ideal repository. This application plays an increasingly important role in the ScanSnap eco system, especially when additionally utilising the recently introduced ScanSnap Sync functionality, which allows for cross linkage from the ScanSnap Connect App to for example Dropbox, to Nuance Power PDF or to ScanSnap Organizer.

Techninė specifikacija

Scanning	
Maximum scan size	432 x 300 mm
Optical scanning resolution	285 x 218 DPI
Duplex scanning	No
Colour scanning	Yes
Film scanning	No
Black/white scanning colour modes	Grayscale, Monochrome
Design	
Scanner type	Overhead scanner
Built-in display	No
Product colour	Black, White
Performance	
Sensor type	CCD
Light source	White LED (2x)
Paper handling	
Maximum ISO A-series paper size	A3
Scanning media types supported	Business Card, Post Card(JPN)
ISO A-series sizes (A0...A9)	A3, A4, A5, A6
ISO B-series sizes (B0...B9)	B4, B5, B6
Letter	Yes
Legal	Yes
Ports & interfaces	
USB port	Yes
USB version	2
Socket connector type	C7
Standard interfaces	USB 1.1, USB 2.0
Power	
Power supply type	AC
Power consumption (typical)	20 W
Power consumption (standby)	2.6 W

Power consumption (off)	0.4 W
AC input frequency	50 - 60 Hz
Input voltage	100-240 V
Weight & dimensions	
Width	210 mm
Depth	156 mm
Height	383 mm
Weight	3 kg
Packaging data	
Quantity per pack	1 pc(s)
Package width	301 mm
Package depth	500 mm
Package height	365 mm
Package weight	6.5 kg
Packaging content	
Cables included	AC
AC adapter included	Yes
Bundled software	Nuance Power PDF (Win) Nuance Power PDF Converter (Mac)
Sustainability	
Sustainability certificates	ENERGY STAR
System requirements	
Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Professional
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%

Certificates	
Green (Eco) compliant	Yes
Other features	
Scan time	3 s
Media thickness	30 mm
Automatic colour mode detection	Yes
Vertical optical scanning resolution (min)	152 DPI
Vertical optical scanning resolution (max)	283 DPI
Horizontal optical scanning resolution (max)	285 DPI
Horizontal optical scanning resolution (min)	218 DPI
Vertical scanning magnification	±1.5%%
Compliance certificates	RoHS
Minimum scan size	25.4 x 25.4 mm
Logistics data	
Country of origin	China
Pallet gross length	101.6 cm
Pallet gross width	121.9 cm
Harmonized System (HS) code	8471607000
Paper packaging weight	2.4 kg
Metal packaging weight	0 g
Wood packaging weight	0 g
Plastic packaging weight	15 g
Products per pallet (air)	24 pc(s)
Products per pallet (sea)	40 pc(s)
Pallet height (sea)	197.5 cm
Pallet height (air)	124.5 cm
Cardboard packaging weight	1.2 kg
Foil packaging weight	15 g
Polystyrene (EPS/EPP) packaging weight	200 g
Glass packaging weight	0 g

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Dokumentai ir vaizdo įrašai

- Atitikties deklaracija
- Vaizdo įrašas 1 objects.icecat.biz/objects/30701314_2670095.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/30701314_2670096.mp4
- Vaizdo įrašas 3 objects.icecat.biz/objects/30701314_2749546.mp4
- Vaizdo įrašas 4 objects.icecat.biz/objects/30701314_3641483.mp4
- Vaizdo įrašas 5 objects.icecat.biz/objects/30701314_5459083.mp4
- Vaizdo įrašas 6 objects.icecat.biz/objects/30701314_3641567.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Ricoh Company, Ltd.
Nakamagome 1-chome 3-6, 143-8555 Tokyo, JP
ricoh.com

ATSAKINGAS ASMUO ES

Ricoh Deutschland GmbH
Vahrenwalder Str. 315, 30179 Hannover, DE
ricoh.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Atitikties deklaracija