

# LevelOne Gigabit PoE Injector, 802.3 af/at/bt, 90W

Gamintojas: **LEVELONE** · Modelis: **POI-5003** · EAN: **4015867231135** · Prekės kodas: **654646**



## 139,90 €

Kaina su PVM

Be PVM: **115,62 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Auto-detection and protection of non-standard PoE devices
- ✓ IEEE 802.3af/at/bt PoE compliant to simplify deployment and installation
- ✓ 10/100/1000Mbps wire speed transmission and reception
- ✓ Total PoE power budget: 90W



## Aprašymas

POI-5003 is a single port, high-power 90W PoE PSE solution for remote PoE PD devices. Generating up to 90W through 8 pins, POI-5003 supplies remote power for new applications such as wireless access points, pan-tilt-zoom (PTZ) IP cameras, lighting, panel display for digital signage and video-phones. It complies to IEEE 802.3bt PoE standards to deliver 90W on both end-point and midspan pairs with a total power of 90W PoE output. It can work with 10/100Base-T networking devices and emerging 1000Base-T devices such as Wi-MAX and wireless IEEE 802.11n access points.

## Techninė specifikacija

### Specifications

Sandėlio grupė

Server, Storage & Network > Network Adapters [+1948][-605]

### Network

|                                        |                                                                                 |
|----------------------------------------|---------------------------------------------------------------------------------|
| Ethernet interface type                | Fast Ethernet, Gigabit Ethernet                                                 |
| Ethernet LAN data rates                | 10,100,1000 Mbit/s                                                              |
| Power over Ethernet (PoE)              | Yes                                                                             |
| Networking standards                   | IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3u |
| Features                               |                                                                                 |
| Product colour                         | Black                                                                           |
| LED indicators                         | Yes                                                                             |
| Ports & interfaces                     |                                                                                 |
| RJ-45 input ports                      | 1                                                                               |
| RJ-45 output ports                     | 1                                                                               |
| Power                                  |                                                                                 |
| Total Power over Ethernet (PoE) budget | 90 W                                                                            |
| Operational conditions                 |                                                                                 |
| Operating temperature (T-T)            | 0 - 40 °C                                                                       |
| Operating relative humidity (H-H)      | 0 - 95%                                                                         |
| Storage temperature (T-T)              | 0 - 70 °C                                                                       |
| Storage relative humidity (H-H)        | 0 - 95%                                                                         |
| Weight & dimensions                    |                                                                                 |
| Width                                  | 65.3 mm                                                                         |
| Depth                                  | 40 mm                                                                           |
| Height                                 | 179.5 mm                                                                        |
| Weight                                 | 750 g                                                                           |
| Packaging content                      |                                                                                 |
| Number of products included            | 1 pc(s)                                                                         |
| Power cord included                    | Yes                                                                             |
| Packaging data                         |                                                                                 |
| Package width                          | 125 mm                                                                          |
| Package depth                          | 55 mm                                                                           |
| Package height                         | 210 mm                                                                          |
| Package weight                         | 850 g                                                                           |
| Package type                           | Box                                                                             |
| Logistics data                         |                                                                                 |
| Master (outer) cases per pallet (air)  | 12 pc(s)                                                                        |
| Pallet gross length                    | 80 cm                                                                           |

|                                  |          |
|----------------------------------|----------|
| Pallet gross width               | 120 cm   |
| Pallet height (air)              | 150 cm   |
| Master (outer) case width        | 220 mm   |
| Master (outer) case length       | 270 mm   |
| Master (outer) case height       | 290 mm   |
| Master (outer) case gross weight | 9 kg     |
| Products per master (outer) case | 10 pc(s) |
| Country of origin                | China    |