

LevelOne PoE Repeater, 2 Ports, Cascadable

Gamintojas: **LEVELONE** · Modelis: **POR-0102** · EAN: **4015867149355** · Prekės kodas: **654647**



294,90 €

Kaina su PVM

Be PVM: **243,72 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Network repeater 100 m
- ✓ 10/100Base-T(X)
- ✓ Power over Ethernet (PoE)
- ✓ Black



Aprašymas

Extend the reach of your PoE devices

For system integrators looking for a professional solution to help extend their PoE network, POR-0102 is the perfect accessory to increase your Power over Ethernet network performance. As a 2-port repeater, it's now easier to add more devices to the network for greater deployment flexibility.

Simple yet durable, no software required

As a PoE Repeater, POR-0102 receives all power from the Power Sending Equipment (PSE), for example, a PoE switch. This means that POR-0102 uses no external power supply, making it an ideal component for system integrators looking to increase the distance of the attached devices. With a durable metal housing and small footprint, POR-0102 fits into any tight deployment.

Applications

POR-0102 works great for large IP surveillance networks with many cameras deployed throughout a building or campus. It is also an ideal solution for outdoor wireless access points that are located far from the network control center.

- Extends Cat.5 cable installations to beyond 100 meters

- 2-Port Ethernet Power Sourcing Equipment(PSE)
- Forwards Power over Ethernet (PoE) to remote device
- Fully transparent no restrictions to network traffic
- No power required
- Simple to install works instantly

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Network > Network Adapters [+1948][-605]
Performance	
Type	Network repeater
Maximum transfer distance	100 m
Cable types supported	Cat5
Auto MDIX IEEE	Yes
Duplex system	Full, Half
Network	
Cabling technology	10/100Base-T(X)
Networking standards	IEEE 802.3af, IEEE 802.3x
Ports & interfaces	
Ethernet LAN (RJ-45) ports	3
Power over Ethernet (PoE) ports quantity	3
Design	
Product colour	Black
LED indicators	PoE, Power
Country of origin	Taiwan
Certification	FCC Rules Part 15 CE
Power	
Power consumption (max)	2.5 W
Power over Ethernet (PoE)	Yes
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Operating relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	90 mm
Depth	120 mm

Height	28 mm
Weight	400 g
Packaging data	
Package width	148 mm
Package depth	235 mm
Package height	80 mm
Package weight	530 g
Logistics data	
Harmonized System (HS) code	85176990