

TP-Link RE3000X Network repeater 2402 Mbit/s White

 Gamintojas: **TP-LINK** · Modelis: **RE3000X** · EAN: **4897098685075** · Prekės kodas: **654963**


91,90 €

Kaina su PVM

 Be PVM: **75,95 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Network repeater 2402 Mbit/s
- ✓ Wi-Fi Dual-band (2.4 GHz / 5 GHz) Wi-Fi 6 (802.11ax)
- ✓ Ethernet LAN Gigabit Ethernet
- ✓ Antenna design: Internal
- ✓ White



Techninė specifikacija

Specifications

 Sandėlio grupė Server/Storage/Network > Access Points/Routers [+1151][-307]

Data transmission

 Maximum data transfer rate 2402 Mbit/s

Antenna

 Antenna design Internal

 Antennas quantity 2

Wireless LAN features

Wi-Fi	Yes
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (max)	2402 Mbit/s
Signal strength	21 dBm
Receiver sensitivity	5GHz: 11a 6Mbps: -97dBm 11a 54Mbps: -78dBm 11ax HE20 MCS0:-97dBm 11ax HE20 MCS11:-66dBm 11ax HE40 MCS0:-94dBm 11ax HE40 MCS11:-63dBm 11ax HE80 MCS0:-91dBm 11ax HE80 MCS0:-91dBm 11ax HE80-1daxBm: 66 MCS11:-59dBm 2.4GHz: 11g 6Mbps:-96dBm 11g 54Mbps:-78dBm 11ax HE20 MCS0: -96dBm 11ax HE20 MCS11: -65dBm 11ax HE40 MCS0: -93dBm 11ax HE40 MCS11: -63dBm
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Ports & interfaces	
Connectivity technology	Wired & Wireless
Ethernet LAN (RJ-45) ports	1
Security	
Security algorithms	WEP, WPA, WPA2, WPA3
WPS push button	Yes
Features	
Product type	Network repeater
Product colour	White
Remote control function	Yes
LED indicators	Yes
Power LED	Yes
Reset button	Yes
System requirements	
Compatible operating systems	Microsoft Windows 98SE, NT, 2000, XP, Vista, Windows 7, 8, 8.1, 10, MAC OS, NetWare, UNIX, Linux, Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0
Power	
Power source type	AC
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power consumption (typical)	11.2 W

Certificates

Compliance certificates	CE, RoHS
-------------------------	----------

Certification	CE, RoHS
---------------	----------

Weight & dimensions

Width	78 mm
-------	-------

Depth	36 mm
-------	-------

Height	149 mm
--------	--------

Packaging content

Quick installation guide	Yes
--------------------------	-----

Packaging data

Package width	202 mm
---------------	--------

Package depth	125 mm
---------------	--------

Package height	97 mm
----------------	-------

Package weight	380 g
----------------	-------

Package type	Box
--------------	-----

Quantity per pack	1 pc(s)
-------------------	---------

Matmenys ir svoris

Matmenys (I × P × A)	4,00cm × 15,00cm × 8,00cm
----------------------	---------------------------