

TP-Link AXE5400 Mesh Wi-Fi 6E Range Extender

Gamintojas: **TP-LINK** · Modelis: **RE815XE** · EAN: **4897098687727** · Prekės kodas: **654975**



259,90 €

Kaina su PVM

Be PVM: **214,79 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AXE5400 Tri-Band Wi-Fi – Boosts overall speeds up to an incredible 5400 Mbps
- ✓ Dedicated 6 GHz Band – Provides a clearer band to prevent Wi-Fi interference and congestion
- ✓ 160 MHz Channel Bandwidth – Expands bandwidth to double the network speed of traditional 80 MHz
- ✓ Seamless Roaming – Walk from room to room and stay connected with the fastest possible speeds
- ✓ Improved Capacity, Less Lag – Experience flawless streams on more screens throughout your home
- ✓ Simple Installation – Just plug in and then set up with the Tether App



Aprašymas

Incredible Performance²

WiFi 6E offers the new 6 GHz frequency band with 1200 MHz of available spectrum. This wide-open band creates lower latency, higher throughput, and faster speeds for RE815XE. Enjoy the ultimate streaming experience with the latest WiFi generation.

6GHz for More Capacity

RE815XE takes full advantage of tri-band, empowering up to 96 devices with lightning-fast 5400 Mbps speed.³ With the 6 GHz band serving as its backhaul, all of your connected devices receive phenomenal connectivity.

Broader Coverage

RE815XE's four external antennas create a stable wireless connection to any WiFi router, boosting your network's coverage. 6× high-power FEM provide maximum WiFi performance, so your phones and tablets stay connected as you move throughout your home. Beamforming technology detects the location of devices and concentrates WiFi towards them for stronger connections.

Shape a seamless roaming network with RE815XE

OneMesh™ enables RE815XE to network with any router that supports OneMesh™ to form a seamless roaming network system⁵ that shares a set of WiFi names for uninterrupted signal switching.

Built-In Access Point Mode

RE815XE is more than a wireless range extender. In places with a network line, simply plug an Ethernet cable into the extender's Ethernet port to turn your wired internet connection into a tri-band wireless access point and the port rate reaches to 1,000 Mbps.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server/Storage/Network > Access Points/Routers [+1151][-307]
Design	
Product colour	White
Antenna type	External
Product type	Mesh satellite
Antennas quantity	4
Reset button	Yes
Wireless LAN features	
Wi-Fi band	Tri-band (2.4 GHz / 5 GHz / 6 GHz)
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (max)	2402 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN data transfer rate (first band)	574 Mbit/s
WLAN data transfer rate (second band)	2402 Mbit/s
WLAN data transfer rate (third band)	2402 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA3
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Power	

Power consumption (typical)	23 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Certificates

Compliance certificates	Federal Communications Commission (FCC), RoHS
Certification	CE, RoHS

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	106.6 mm
Depth	39.7 mm
Height	348.2 mm

Packaging content

Number of products included	1 pc(s)
Ethernet cable	Yes