

Zebra SP7208-V Built-in bar code reader 1D/2D Black

Gamintojas: **ZEBRA** · Modelis: **SP7208-SV4U2100TZW** · EAN: **5715063412640** · Prekės kodas: **656782**



511,90 €

Kaina su PVM

Be PVM: **423,06 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Built-in bar code reader Black
- ✓ Scanner type: 1D/2D
- ✓ Codabar, Code 11, Code 128, Code 39, Code 93, GS1 DataBar, MSI, Plessey, UPC-A Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
- ✓ 1920 x 1200 pixels
- ✓ Wired Standard interfaces: USB
- ✓ Power source type: DC



Aprašymas

Enhance Checkout and Improve Your Bottom Line with High-Performance In-Counter and On-Counter Scanning

Enhance the customer experience, reduce shrink and offer faster checkout options with the SP72 Series. These high performance single-plane vertical and horizontal scanners deliver everything you need to elevate the checkout experience in grocery, convenience, pharmacy and specialty stores. The SP72 Series optimizes self-checkout solutions with innovative features that facilitate SCO integration and help reduce shrink - making SCO better for your customers, employees and bottom line.

Faster Checkouts for Every Lane

Checkouts are faster than ever for both cashiers and self-checkout users with 'swipe-and-go' high performance scanning. Available in both horizontal and vertical form factors, the SP72 Series fits wherever you need it.

Minimize Shrink at Self-Checkout

Retailers can enjoy all the benefits of self-checkout with less risk thanks to multiple innovations, including an optional color camera that enables vision-based applications which reduce the risk of shrink and fraud at the self-checkout.

Easy Self-Checkout Integration

Integration into your self-checkout has never been easier. The SP72 Series design fits flush into self-checkouts, enables vision-based applications to minimize shrink, and offers multiple on-board interfaces to ensure compatibility with all popular POS systems.

Techninė specifikacija

Specifications	
Sandėlio grupė	Sonstiges > Barcode Scanner [+994][-201]
Scanning	
Type	Built-in bar code reader
Scanner type	1D/2D
Linear (1D) barcodes supported	Codabar, Code 11, Code 128, Code 39, Code 93, GS1 DataBar, MSI, Plessey, UPC-A
2D (matrix & stacked) barcodes supported	Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
Optical sensor resolution (W x H)	1920 x 1200 pixels
Light levels (direct sunlight)	0 - 86100 lx
Wavelength	660 nm
Ports & interfaces	
Connectivity technology	Wired
Standard interfaces	USB
Performance	
Product colour	Black
International Protection (IP) code	IP52
Power	
Power source type	DC
Input voltage	5 V
Weight & dimensions	
Weight	577 g
Width	152 mm
Depth	84 mm
Height	137 mm
Operational conditions	
Operating temperature (T-T)	0 - 50 °C

Storage temperature (T-T)	-40 - 70 °C
---------------------------	-------------

Operating relative humidity (H-H)	20 - 95%
-----------------------------------	----------