StarTech.com 2-Port Gigabit PCIe Network Adapter Card, 10/100/1000Mbps PCI Express NIC, Dual Realtek RTL8111H, Works with Windows and Linux, TAA Compliant

Gamintojas: **STARTECH.COM** · Modelis: **ST1000SPEXD4T** · EAN: **065030911047** · Prekės kodas: **656838**



146.89€

Kaina su PVM

Be PVM: **121.40€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ TAA-COMPLIANT GIGABIT ETHERNET CARD: Network Card with dual Realtek RTL8111H chips adds two gigabit Ethernet interfaces to a desktop/server; Features link speed/activity LED indicators allowing users to visually diagnose issues and confirm network speeds
- ✓ PLUG & PLAY COMPATIBILITY: 2-Port Network Interface Card drivers auto-install in most major operating systems including Windows, Windows Server, and Linux; Works with Intel and AMD hardware platforms that have a PCI Express x1, x2, x4, x8, or x16 slot
- ✓ PERFORMANCE & MANAGEMENT: 10/100/1000Mbps PCIe Network Adapter Card features independent Ethernet controllers that support 9K jumbo frames to reduce packet overhead, Wake-on-LAN (WoL) for remote system booting, and VLANs for efficient network management
- ✓ UNIVERSAL FIT: PCI Express NIC comes with a pre-installed standard-profile bracket for full-sized desktops and servers, and it includes a low-profile bracket for compatibility with small form-factor computers
- ✓ THE IT PRO'S CHOICE: Designed and built for IT Professionals, this 2-port network card is backed for 2-years, including free lifetime 24/5 multi-lingual technical assistance






Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903







Aprašymas

Add two 10/100/1000Mbps Ethernet ports to any PC through a PCI Express slot

This TAA-compliant Gigabit Ethernet card adds two gigabit Ethernet interfaces to a desktop or server.

Plug And Play Compatible

This 2-port network interface card is plug-and-play compatible, with drivers that auto-install on major operating systems such as Windows, Windows Server, and Linux. It is compatible with Intel and AMD hardware platforms equipped with PCI Express x1, x2, x4, x8, or x16 slots.

Performance and Management

This network card features link speed and activity LED indicators for visual network speed verification and issue diagnosis.

This PCIe network adapter supports 9K jumbo frames to minimize packet overhead, Wake-on-LAN (WoL) for remote system booting, auto-negotiation between 10/100/1000Mbps, and VLANs for streamlined network management.

Universal Fit

The PCI Express NIC includes a pre-installed standard-profile bracket for full-sized desktops and servers, as well as a low-profile bracket for compatibility with small form-factor computers.

Techninė specifikacija

Ports & interfaces	
Connectivity technology	Wired
Host interface	PCI Express
Interface	Ethernet
Ethernet LAN (RJ-45) ports	2
Network	
Maximum data transfer rate	1000 Mbit/s
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x

Ethernet LAN	Yes
Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	Yes
Auto MDIX IEEE	Yes
Jumbo frames support	Yes
Jumbo frames	9000

Design

Internal	Yes
Component for	PC/Server
Product colour	Black
Chipset	Realtek RTL8111H
LED indicators	Activity, Link

System requirements

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Linux operating systems supported	Yes
Server operating systems supported	Windows Server 2016, Windows Server 2019, Windows Server 2022

Operational conditions

Operating temperature (T-T)	5 - 70 °C
Storage temperature (T-T)	0 - 80 °C
Operating relative humidity (H-H)	10 - 80%

Weight & dimensions

Width	61 mm
Depth	75 mm
Height	18 mm
Weight	47 g

Packaging data

Package width	142 mm
Package depth	170 mm
Package height	30 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Package weight	111.2 g
Packaging content	
Mounting brackets included	Yes
Quick installation guide	Yes
Technical details	
Compliance certificates	RoHS, Trade Agreements Act (TAA)
Logistics data	
Master (outer) case width	685 mm
Master (outer) case length	345 mm
Master (outer) case height	306 mm
Products per master (outer) case	75 pc(s)
Matmenys ir svoris	
Matmenys (I × P × A)	18.00cm × 15.00cm × 4.00cm

Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

EU RESPONSIBLE PERSON

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt