Zyxel USG FLEX 200H hardware firewall 5 Gbit/s

Gamintojas: **ZYXEL** · Modelis: **USGFLEX200H-EU0101F** · EAN: **4718937622757** · Prekės kodas: **657800**

1 064,90 €

Kaina su PVM

Be PVM: **880,08 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Firewall throughput: 5000 Mbit/s
- ✓ 58.75 BTU/h
- ✓ Wired Ethernet LAN data rates: 10,100,1000,2500 Mbit/s Console port: RJ-45
- ✓ 22 W

Aprašymas

USG FLEX H series provides secure, fast protection with ground-breaking high performance for Virtual Private Networks (VPN) and Unified Threat Management (UTM), a multi-layered approach to protecting the Firewall, the network infrastructure and connected users by leveraging Zyxel’s high-performance hardware and state-of-the-art AI Security Cloud architecture.

Ultra High Performance
Ultra-high Performance powered by our next-generation multi-core hardware and Fastpath technology to create ultra-high efficiency. The USG FLEX H series can boost performance by up to 3x, optimizing utilization of its processors and allowing Zyxel to deliver superior performance to satisfy the needs required by demanding and high-speed networks.

Port Flexibility, Multi-G and PoE+
With 2.5 Gbps and 10 Gbps Port Speed options, The USG FLEX H also features software-defined ports, allowing you true flexibility in the configuration and tailoring of each USG FLEX H as required (WAN or LAN).

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

The USG FLEX H offers up to 2 x 30W PoE+ integrated ports* to help reduce complexity by simplifying installations and reduce install costs by allowing you to power devices like 5G Routers, latest WiFi, or appliances like VoIP Phones directly from the USG FLEX H itself.

Hassle free network management with nebula.
Utilizing nebula, Zyxel’s centralised cloud management platform you can configure and deploy network and security devices centrally.

You can manage multiple devices and bring the information from them together, combining it to create a more effective defensive ring around the network.

AI-powered cloud cybersecurity.
Network security constantly evolves to meet the demands of an ever-changing working environment. Block malicious threats and restrict inappropriate user behaviours. The USG FLEX H series leverages AI-powered cloud intelligence to operate multi-layered protection such as sandboxing, anti-malware, DNS/IP/URL filtering, IPS, and application patrol over your premises.

Our new Fast and Powerful uOS.
The USG FLEX H series introduces our latest powerful uOS (Operating System). It is designed to increase security, minimize system response time, apply configuration changes instantly and optimize configuration and security policy management with its new intuitive UX (User Experience) design.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server/Storage/Network > Access Points/Routers [+1151][-307]
Data transmission	
Firewall throughput	5 Gbit/s
VPN throughput	1.2 Gbit/s
IPS/IDS throughput	2000 Mbit/s
Performance	
Heat dissipation	58.75 BTU/h
Network	
Number of VLANs	32
Security	
VPN support	IKEv2, IPSec, SSL
Ports & interfaces	
Connectivity technology	Wired
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Ethernet LAN (RJ-45) ports	8
Ethernet LAN data rates	10,100,1000,2500 Mbit/s
Console port	RJ-45
Power	

Input current	2 A
DC input voltage	12 V
Power consumption (max)	22 W
Certificates	
Compliance certificates	Low Voltage Directive (LVD), BSMI, CE, Federal Communications Commission (FCC)
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-30 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	272 mm
Depth	187 mm
Height	36 mm
Weight	1.52 kg
Packaging data	
Package width	427 mm
Package height	247 mm
Package depth	73 mm
Package weight	2.43 kg
Packaging content	
Cables included	Power
Other features	
Firewall throughput	5000 Mbit/s
VPN throughput	1200 Mbit/s
Matmenys ir svoris	
Matmenys (I × P × A)	19,00cm × 27,00cm × 4,00cm
Svoris	1,50kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.