

Zebra DS9908-SR Handheld bar code reader 1D/2D Black

Gamintojas: **ZEBRA** · Modelis: **DS9908-SR00004ZZWW** · EAN: **8596375198050** · Prekės kodas: **658725**



364,90 €

Kaina su PVM

Be PVM: **301,57 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Handheld bar code reader Black
- ✓ Scanner type: 1D/2D
- ✓ Codabar, Code 11, Code 128, Code 39, Code 93, GS1-128 (UCC/EAN-128), MSI, PDF417, U.P.C. Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
- ✓ 1280 x 800 pixels
- ✓ Built-in processor 800 MHz
- ✓ Wired Standard interfaces: RS-485

Aprašymas

IMPROVE WORKFLOW EFFICIENCY AND ACCURACY WITH THE HYBRID PRESENTATION IMAGER BUILT FOR THE LAB

Barcodes found in the lab can be challenging for a general purpose scanner. That's why the DS9900 Series is purpose-built for lab environments, offering unparalleled productivity and ease of use. You get first-time, every time capture of small, high density, curved and color-coded barcodes. A one-of-a-kind hybrid design provides seamless switching between handheld and hands-free scanning, and an optional RFID model and unrivaled management tools drive workflow efficiency to a new level.

SCAN IT ALL

High density focus and white illumination LEDs easily read dense barcodes on microscope slides, curved barcodes on medicine bottles and blood vials, and barcodes on color-coded specimen trays and biopsy cassettes. An 800 MHz microprocessor, megapixel sensor and exclusive PRZM Intelligent Imaging technology deliver unparalleled scanning performance.

TWO SCANNERS IN ONE

While other products are handheld scanners retrofitted with a base, our award-winning Industrial Design team created the DS9900 Series for handheld and hands-free use. The result? Fast, seamless switching between modes. A sturdy, one-piece design with a small footprint. The right ergonomics. And a scan range that automatically adjusts as needed.

UNRIVALED MANAGEABILITY

Complimentary industry-best tools make it easier than ever to remotely configure scanners, upgrade firmware and format data for your application. Right out of the box, the scanner is configured for common applications and auto-host detect cables automatically select the right host interface — just plug in the scanner and you're ready to go.

Techninė specifikacija

Specifications	
Sandėlio grupė	Sonstiges > Barcode Scanner [+994][-201]
Scanning	
Type	Handheld bar code reader
Scanner type	1D/2D
Linear (1D) barcodes supported	Codabar, Code 11, Code 128, Code 39, Code 93, GS1-128 (UCC/EAN-128), MSI, PDF417, U.P.C.
2D (matrix & stacked) barcodes supported	Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
Optical sensor resolution (W x H)	1280 x 800 pixels
Wavelength	528 nm
Ports & interfaces	
Connectivity technology	Wired
Standard interfaces	RS-485
Performance	
Product colour	Black
International Protection (IP) code	IP52
LED indicators	Yes
Built-in display	No
Image formats supported	BMP, JPEG, TIFF
Built-in processor	Yes
Processor frequency	800 MHz
Power	
Input voltage	5 V
Weight & dimensions	
Weight	330 g
Width	94 mm
Depth	132 mm
Height	203 mm
Operational conditions	

Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 95%

Logistics data

Harmonized System (HS) code	84716070
-----------------------------	----------