

Zalman ZM750-ARX power supply unit 750 W 20+4 pin ATX ATX Black

Gamintojas: **ZALMAN** · Modelis: **ZM750-ARX** · EAN: **8809213768750** · Prekės kodas: **659263**



178,90 €

Kaina su PVM

Be PVM: **147,85 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 750 W 100 - 240 V 50 - 60 Hz
- ✓ Motherboard power connector: 20+4 pin ATX
- ✓ PC ATX 80 PLUS Platinum
- ✓ Active 13.5 cm
- ✓ Black



Aprašymas

High quality components

High quality made in Japan 105°C capacitor guarantees Stability at high temperatures, frequencies and currents.

High quality components

Powerful and highly reliable DC-DC module

Active PFC

Built-in Active PFC circuit provides high power factor and efficiency

Single Rail +12V DC output

Single +12V DC output design for stabilized voltage supply

Secondary Protection IC

Heavy-duty protection circuitry of Over Current, Over Power, Over Voltage, Under Voltage, Over Temperature and Short-Circuit Protection.

Modular cable type

Neatly organized DC output modular cable help to increase air flow inside the case.

Ultra quiet 135mm for smart cooling

Smart Fan control system optimizes thermal control while minimizing noise levels.

Techninė specifikacija

Specifications	
Sandėlio grupė	Energy Supply > Accumulators/Batteries [+1065][[-528] Desktop > Akkus/Batterien [+15][[-13]
Power	
Total power	750 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	120 W
Combined power (+12V)	744 W
Combined power (+5V)	120 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	12.5 W
Max output current (+3.3V)	25 A
Max output current (+12V)	62 A
Max output current (+5V)	22 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	2.5 A
Efficiency	94%
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	6
Motherboard power cable length	60 cm
Number of SATA power connectors	12
EPS power connector (8-pin)	Yes
PCI Express power connectors (6+2 pin)	4

PCI Express power cable length	55 cm
CPU power connector (4+4 pin)	Yes
CPU power cable length	70 cm
Floppy disk drive connector	Yes
Cabling type	Fully-Modular
Performance	
Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Platinum
Design	
Product colour	Black
Cooling type	Active
Fan diameter	13.5 cm
Number of fans	1 fan(s)
Fan location	Top
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	5 - 95%
Storage relative humidity (H-H)	5 - 95%
Packaging content	
Cables included	AC
Certificates	
Compliance certificates	RoHS
Certification	UL, FCC, CB, CE, EAC, KC, WEEE
Weight & dimensions	
Width	150 mm
Depth	180 mm
Height	86 mm
Weight	2.9 kg
Packaging data	
Cable storage bag included	Yes
Number of straps	5
Manual	Yes

Package type	Box
--------------	-----

Other features

Screws included	Yes
-----------------	-----

Number of screws	4
------------------	---

Cable ties included	Yes
---------------------	-----