

InLine 00031J storage drive enclosure SSD enclosure Grey M.2

Gamintojas: **INLINE** · Modelis: **00031J** · EAN: **4043718342143** · Prekės kodas: **659530**



80,90 €

Kaina su PVM

Be PVM: **66,86 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ SSD enclosure M.2, Serial ATA M.2
- ✓ Number of storage drives supported: 1
- ✓ NVMe
- ✓ USB connectivity Thunderbolt 3 ports quantity: 1
- ✓ 40 Gbit/s
- ✓ Power source type: USB
- ✓ Grey



Aprašymas

Maximum data rate of up to 40 Gb/s: Supports USB4 for ultra-fast transfer of large amounts of data in professional environments.

Full compatibility with Thunderbolt 3/4: Ideal for professional IT environments - can be flexibly combined with various systems and devices.

Tool-free assembly with comprehensive accessories: Includes everything for quick and stable installation - including screw set, cooling materials and USB-C combo cable.

Rugged aluminium housing with cooling fins: Effective passive cooling thanks to ribbed surface - suitable for continuous operation.

Universal use for M.2 NVMe SSDs: Supports various form factors (2230/2242/2260/2280) as well as single and double-sided SSDs up to 8 TB.

The InLine® USB4 enclosure for M.2 SSDs (NVMe) impresses with its high performance and universal applicability. With transfer rates of up to 40 Gb/s, it is ideal for demanding tasks such as fast data transfer, system migration or SSD diagnostics. Thanks to full compatibility with Thunderbolt 3/4 and all common USB-C standards, the enclosure can be easily integrated into existing system landscapes.

Made from robust, anodised aluminium with a ribbed surface, the enclosure ensures efficient heat dissipation - even during long-term use.

Installation is straightforward and requires no tools. The scope of delivery includes a USB-C cable (USB-C to USB-C/USB-A), heat conducting plate, heat conducting pad and a screw set including the appropriate tools. SSDs in the formats 2230 to 2280 (M-Key), single and double-sided, with up to 8 TB capacity are supported.

A powerful tool for anyone who values performance, compatibility and a reliable data connection - whether in professional use or when working with large amounts of data on a daily basis.

Input interface: USB-C 4.0

Data transfer rate: 40 Gb/s

Compatibility: Thunderbolt 3/4, USB 3.2/3.1/3.0

Supported SSD sizes: 2230 / 2242 / 2260 / 2280

SSD type: NVMe, M-Key, single-sided and double-sided

Max. SSD height: 1.5 mm per side

Material: Aluminium alloy, anodised

Chip: ASM2464PD

Supported systems: Android / Linux / macOS / Windows

Operating temperature: 0 °C to +40 °C

Dimensions: 107 × 50 × 17 mm

Scope of delivery:

1x InLine® USB4 enclosure, USB-C to M.2 SSD NVME, aluminium

1x USB-C to USB-C/USB-A cable 0.30 m

1x heat conduction plate

1x heat conduction pad

1x cross screwdriver

1x screw set (2 metal screws + 2 twist locks)

1x operating instructions (German/English)

Techninė specifikacija

Specifications	
Sandėlio grupė	> HDD/SSD Frames [+173][−48]
Storage	
Storage drive size	M.2
Supported storage drive interfaces	M.2, Serial ATA
Number of storage drives supported	1
NVMe	Yes
Maximum storage capacity	8 TB
Ports & interfaces	
USB connectivity	Yes
USB connector type	USB Type-C
USB connector gender	Female
Integrated USB cable	No
Thunderbolt 3 ports quantity	1
Design	

Product type	SSD enclosure
Product colour	Grey
Material	Aluminium
LED indicators	Yes
Performance	
Data transfer rate	40 Gbit/s
Chipset	ASM2464PD
Plug and Play	Yes
Country of origin	Taiwan
Power	
Power source type	USB
System requirements	
Mobile operating systems supported	Android, iOS
Windows operating systems supported	Yes
Linux operating systems supported	Yes
Mac operating systems supported	MacOS
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Weight & dimensions	
Width	18 mm
Depth	50 mm
Height	0.89 mm
Weight	1.59 kg
Cable length	0.3 m
Package width	110 mm
Package depth	220 mm
Package height	20 mm
Package volume	200 cm ³
Package weight	10.7 kg
Packaging content	
Package type	Hanging box
Cables included	USB
Screws included	Yes
Screwdriver included	Yes

Other features

Dimensions (WxDxH)	18 x 50 x 0.89 mm
--------------------	-------------------

Technical details

Compliance certificates	CE, Federal Communications Commission (FCC), TÜV mark
-------------------------	---