

InLine 17291B cable gender changer DisplayPort Mini DisplayPort Black, Grey

Gamintojas: **INLINE** · Modelis: **17291B** · EAN: **4043718338108** · Prekės kodas: **659533**



18,90 €

Kaina su PVM

Be PVM: **15,62 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ DisplayPort Straight Male
- ✓ Mini DisplayPort Straight Female
- ✓ Connector contacts plating: Gold
- ✓ DisplayPort version: 1.4 7680 x 4320 pixels
- ✓ Housing material: Aluminium
- ✓ Black, Grey



Aprašymas

Connection versatility for mixed systems:The adapter connects devices with DisplayPort output to displays or accessories with Mini DisplayPort input – without any signal conversion.

8K-compatible for high-resolution applications:Supports Ultra HD resolutions up to 7680x4320 @ 60Hz, ideal for modern work environments and presentation systems.

Reliable connection thanks to high-quality construction:Gold-plated contacts ensure signal stability and minimise interference.

Ideal for compact setups and on the go:Thanks to its minimalist design, the adapter fits easily into mobile or confined working environments.

Standard-compliant and future-proof:Complies with the DisplayPort 1.4 standard – perfect for system houses, technical service providers or industrial applications.

The InLine® DisplayPort 1.4 adapter with DisplayPort plug to Mini DisplayPort socket is the ideal solution for connecting modern hardware to devices with a Mini DisplayPort interface, such as older monitors, Apple displays or certain notebooks. The adapter enables a direct, pure signal connection

and is a practical addition, especially in mixed system landscapes.

With support for resolutions up to 8K UHD, the adapter is suitable for demanding image applications in the professional sector. The gold-plated contacts ensure stable signal transmission and are resistant to corrosion – a decisive advantage for frequent use or in mobile environments.

Thanks to its compact design, the adapter is not only ideal for stationary use, but also an excellent choice for on the go – for example, for field service, training or at trade fairs. Whether for temporary installations or daily use, the adapter is a useful tool for anyone who needs maximum flexibility in video connections.

Connection 1: DisplayPort plug

Connection 2: Mini DisplayPort socket

Standard: DisplayPort 1.4

Max. resolution: up to 8K UHD

Contacts: gold-plated

Application: Connection adapter DP plug to Mini DP socket

Design: Compact

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Network > Network Adapters [+1948][-605]
Ports & interfaces	
Connector 1	DisplayPort
Connector 2	Mini DisplayPort
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
DisplayPort version	1.4
Connector contacts plating	Gold
Performance	
Product colour	Black, Grey
Housing material	Aluminium
Maximum resolution	7680 x 4320 pixels
Operational conditions	
Operating temperature (T-T)	-10 - 60 °C
Storage temperature (T-T)	-20 - 80 °C
Certificates	
Compliance certificates	TÜV mark, RoHS
Weight & dimensions	
Depth	20.8 mm

Weight	11 g
--------	------

Packaging data

Package type	Polybag
--------------	---------

Logistics data

Country of origin	Taiwan
-------------------	--------