

InLine 17291G cable gender changer DisplayPort Grey, Black

Gamintojas: **INLINE** · Modelis: **17291G** · EAN: **4043718338153** · Prekės kodas: **659537**



18,90 €

Kaina su PVM

Be PVM: **15,62 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ DisplayPort Angled Male
- ✓ DisplayPort Straight Female
- ✓ Connector contacts plating: Gold
- ✓ DisplayPort version: 1.4 7680 x 4320 pixels
- ✓ Housing material: Aluminium
- ✓ Grey, Black



Aprašymas

90° upward-angled DisplayPort adapter: Ideal for vertical cable routing upwards – e.g. for installations under desks or panel mounting.

Full support up to 8K UHD: For the highest image quality in demanding AV setups and professional applications.

Gold-plated contacts: Minimise interference, increase service life and ensure stable signal quality.

Compact and robust design: Ideal for installations with limited space.

Compliant with the DisplayPort 1.4 standard: Future-proof and compatible with current technology.

The InLine® DisplayPort 1.4 adapter with a 90° upward-angled connector is the optimal solution for all installation situations where the cable needs to be routed upwards – for example, under desks, in equipment cabinets or in tight AV panels.

With support for 8K UHD, the adapter delivers razor-sharp image quality, while the gold-plated contacts ensure reliable signal transmission – even with frequent use and in demanding conditions.

Thanks to its space-saving design, the adapter is versatile and particularly suitable for professional applications and system integration.

Connection 1: DisplayPort plug (90° upwards)

Connection 2: DisplayPort socket

Standard: DisplayPort 1.4

Max. resolution: up to 8K UHD

Contacts: gold-plated

Application: cable routing upwards

Design: 90° angled upwards

Techninė specifikacija

Specifications

Sandėlio grupė Server, Storage & Network > Network Adapters [+1948][-605]

Ports & interfaces

Connector 1 DisplayPort

Connector 2 DisplayPort

Connector 1 gender Male

Connector 2 gender Female

Connector 1 form factor Angled

Connector 2 form factor Straight

DisplayPort version 1.4

Connector contacts plating Gold

Performance

Product colour Grey, Black

Housing material Aluminium

Maximum resolution 7680 x 4320 pixels

Operational conditions

Operating temperature (T-T) -10 - 60 °C

Storage temperature (T-T) -20 - 80 °C

Certificates

Compliance certificates CE, TÜV mark, RoHS

Weight & dimensions

Width 23 mm

Depth 21 mm

Height 28 mm

Weight 12 g

Packaging data

Package width 70 mm

Package depth	240 mm
Package height	24 mm
Package weight	16 g
Package type	Polybag
Other features	
Dimensions (WxDxH)	23 x 21 x 28 mm
Logistics data	
Country of origin	Taiwan