

InLine 17291H cable gender changer DisplayPort Grey, Black

Gamintojas: **INLINE** · Modelis: **17291H** · EAN: **4043718338160** · Prekės kodas: **659538**



18,90 €

Kaina su PVM

Be PVM: **15,62 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ DisplayPort Angled Male
- ✓ DisplayPort Straight Female
- ✓ Connector contacts plating: Gold
- ✓ DisplayPort version: 1.4 7680 x 4320 pixels
- ✓ Housing material: Aluminium
- ✓ Grey, Black



Aprašymas

90° right-angled DisplayPort adapter: Routes the cable at a right angle to the side – perfect for AV cabinets, monitor backs or panel installations.

8K-compatible: Brilliant image display for professional and industrial applications.

Gold-plated contacts: Durable and interference-free, even under heavy use.

Compact design: Ideal for space-saving and concealed installation situations.

DisplayPort 1.4 compliant: Safe and future-proof use in modern systems.

The InLine® DisplayPort 1.4 adapter with a 90° vertical right-angle connector offers a well-designed solution for installations with limited space. The vertical right angle allows the cable to be neatly routed to the side – ideal for devices in narrow media cabinets or for rear mounting.

With support for 8K UHD, the adapter delivers razor-sharp image quality. The gold-plated contacts ensure a stable, long-lasting connection – even with frequent plugging and unplugging.

An indispensable accessory for professional AV solutions and IT infrastructures where every centimetre counts.

Connection 1: DisplayPort plug (90° vertical right)

Connection 2: DisplayPort socket

Standard: DisplayPort 1.4

Max. resolution: up to 8K UHD

Contacts: gold-plated

Application: Cable routing to the right side

Design: 90° vertical right

Techninė specifikacija

Specifications

Sandėlio grupė Server, Storage & Network > Network Adapters [+1948][-605]

Ports & interfaces

Connector 1 DisplayPort

Connector 2 DisplayPort

Connector 1 gender Male

Connector 2 gender Female

Connector 1 form factor Angled

Connector 2 form factor Straight

DisplayPort version 1.4

Connector contacts plating Gold

Performance

Product colour Grey, Black

Housing material Aluminium

Maximum resolution 7680 x 4320 pixels

Operational conditions

Operating temperature (T-T) -10 - 60 °C

Storage temperature (T-T) -20 - 80 °C

Certificates

Compliance certificates CE, TÜV mark, RoHS

Weight & dimensions

Width 23 mm

Depth 36 mm

Height 21 mm

Weight 16 g

Packaging data

Package width 70 mm

Package depth	140 mm
Package height	21 mm
Package weight	18 g
Package type	Polybag
Other features	
Dimensions (WxDxH)	23 x 36 x 21 mm
Logistics data	
Country of origin	Taiwan