

InLine 51127B interface cards/adapter Internal

Gamintojas: **INLINE** · Modelis: **51127B** · EAN: **4043718341498** · Prekės kodas: **659564**



64,90 €

Kaina su PVM


Be PVM: **53,64 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt



Aprašymas

Four RJ45 Gigabit portsfor a stable and fast network connection

PCIe x1 interfacefor high compatibility with various systems

Supports VLAN (802.1Q), jumbo frames (up to 9K) and flow control

Suitable for servers, workstations and AV applications

Includes low-profile slot bracketfor easy integration into compact housings

The **InLine® Quad Gigabit network card** is a powerful solution for expanding your system with four Gigabit Ethernet ports. It is ideal for **servers, workstations** and professional **AV applications** and supports modern network technologies for maximum efficiency.

With a **data rate of up to 1 Gb/s** per port, the card enables a stable network connection with **auto-negotiation** and supports **Wake-on-LAN (WOL), VLANs (802.1Q) and jumbo frames (up to 9K)**. The Realtek RTL8111F chipset used ensures **reliable performance and energy efficiency**.

Thanks to the **PCIe x1 interface**, the network card is compatible with a wide range of systems and enables efficient data transmission. The supplied **low-profile slot bracket** facilitates installation in compact housings.

Technical data:

Bus type: PCIe v1.1 (2.5 GT/s) x1 lane

Connection: 4 x RJ45 (copper)

Data rate: 10/100/1000 Mb/s (Gigabit Ethernet)

Supported speeds:

10/100 Mb/s in half-duplex mode
10/100/1000 Mb/s in full-duplex mode

Maximum cable length:
10BASE-T: Category-3 or higher (up to 100 m)
100BASE-TX: Category-5 or higher (up to 100 m)
1000BASE-T: Category-5e or higher (up to 100 m)

Chipset: Realtek RTL8111F + ASM1184e
Supported protocols: IPv4, IPv6
Dimensions: 100 mm x 69 mm (PCIe board)

Network & protocol support:

Supported IEEE standards:

IEEE 802.3 (Ethernet), IEEE 802.3u (Fast Ethernet), IEEE 802.3ab (Gigabit Ethernet)
IEEE 802.3x (Flow Control), IEEE 802.1Q (VLAN)
IEEE 802.1P Layer2 Priority Encoding

Functions:

Auto-negotiation (10/100/1000 Mb/s)
Supports Wake-on-LAN (WOL)
Support for Jumbo Frames (up to 9K)

Operating system support:

Windows: 11, 10, 8, 7
Windows Server: 2008 R2, 2016, 2019, 2021
Linux: from kernel version 2.6.30

Environmental conditions:

Operating temperature: 0 °C to 55 °C
Storage temperature: -40 °C to 70 °C
Maximum humidity: 90 %

Scope of delivery:

1x InLine® Quad Gigabit network card, 4x RJ45 1 Gb/s
1x low-profile slot bracket
1x driver CD
1x instruction manual (German/English)

Techninė specifikacija

Specifications

Sandėlio grupė

Server, Storage & Network > Network Adapters [+1948][-605]

Ports & interfaces

Host interface	PCI Express
----------------	-------------

Design

Internal	Yes
----------	-----

LED indicators	Yes
----------------	-----

Country of origin	Taiwan
-------------------	--------

Features

Chipset	Realtek RTL8111F
---------	------------------

Operational conditions

Operating temperature (T-T)	0 - 55 °C
-----------------------------	-----------

Storage temperature (T-T)	-40 - 70 °C
---------------------------	-------------

Operating relative humidity (H-H)	0 - 90%
-----------------------------------	---------

System requirements

Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
-------------------------------------	--

Linux operating systems supported	Kernel 2.6.31, Kernel 2.6.33, Kernel 3.12, Kernel 3.17, Kernel 3.3, Kernel 4.6.4
-----------------------------------	--

Server operating systems supported	Windows Server 2008 R2, Windows Server 2016, Windows Server 2019
------------------------------------	--

Technical details

Compliance certificates	CE, TÜV mark
-------------------------	--------------

Weight & dimensions

Width	100 mm
-------	--------

Depth	69 mm
-------	-------

Packaging data

Mounting brackets included	Yes
----------------------------	-----

Manual	Yes
--------	-----

Package weight	77 g
----------------	------

Other features

Connectivity technology	Wired
-------------------------	-------

Ethernet LAN (RJ-45) ports	4
----------------------------	---

Networking standards	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
----------------------	--

Interface	Ethernet
-----------	----------