

Microconnect SSTP602W networking cable White 2 m Cat6 S/FTP (S-STP)

Gamintojas: **GOOBAY** · Modelis: **93505** · EAN: **4040849935053** · Prekės kodas: **660354**



11,89 €

Kaina su PVM

Be PVM: **9,83 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ To order a full box, please select the following quantity: 70 pcs.
- ✓ S/FTP Shielding, protects against EMI (Electromagnetic interference)LSZH (Low Smoke Zero Halogen)
- ✓ CAT6 tested up to 250 MHz
- ✓ with latch protection
- ✓ with slimline strain relief
- ✓ with gold plated PINs



Aprašymas

CAT6 cables enables a convenient and reliable connection from one network device, such as switch, modem or router, to another or to the infrastructure at large through a patch panel, keystone jack or wall outlet. This cable are also used a lot in small office and home network and entertainment applications. These cables are tested up to 250Mhz (CAT6 standard) and are backwards compatible with CAT5e and CAT5 cables. They are produced with latch protection, which prevents the connector do be damaged when you install the cable through an installation with very less space. Furthermore this cable is manufactured with shielding. This protects against both EMI (electromagnetic interference). EMI can cause crosstalk between circuits, resulting in degradation of data, increased errors and slower transmission rates, but by using this shielded cable you will avoid this problem.

Techninė specifikacija

Specifications	
Sandėlio grupė	[CAB] CABLES FOR COMPUTERS AND PERIPHERALS [+72][-7543]
Features	
Cable length	2 m
Cable standard	Cat6
Cable shielding	S/FTP (S-STP)
Product colour	White
Connector 1 gender	Male
Connector 2 gender	Male
Jacket material	Low smoke zero halogen (LSZH)
Conductor type	Stranded
Conductor material	Copper
AWG wire size	28/7
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Sustainability	
Doesn't contain	Halogen
Certificates	
Compliance certificates	RoHS
Weight & dimensions	
Outer diameter	6 mm
Weight	80 g
Packaging content	
Quantity per pack	1 pc(s)
Packaging data	
Package width	161 mm
Package depth	158 mm
Package height	27 mm
Package weight	82 g
Logistics data	
Quantity per box	120 pc(s)
Other features	

Technical features

Kink Protection, strain relief and Latch Protection

Matmenys ir svoris

Matmenys (l × P × A)

10,00cm × 10,00cm × 10,00cm

Svoris

1,00kg