

Conceptronic HUBBIES20GP 7-Port USB 3.0 Hub with Power Adapter, 5Gbps, USB-C x 3, USB-A x 4

Gamintojas: CONCEPTRONIC · Modelis: HUBBIES20GP · EAN: 4015867238295 · Prekės kodas: 661010



49,90 €

Kaina su PVM

Be PVM: 41,24 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Add 4 USB-A ports and 3 USB-C ports to your PC and laptop
- ✓ USB 3.0 SuperSpeed (5Gb/s)
- ✓ Available with a USB-C power port (5V/3A), supplying power to the hub for even better performance
- ✓ Power adapter included
- ✓ Simple Plug and Play installation
- ✓ Aluminum casing for heat dissipation
- ✓ USB hub cable length: 25cm
- ✓ Power adapter cable length: 100cm



Aprašymas

This 7-port USB 3.2 Gen 1 hub allows you to expand your device's USB-A or USB-C capacity with 7 additional USB ports! The hub makes it easy to connect up to 7 USB-compatible peripherals or gadgets to your MacBook, Chromebook Pixel, or any similar late-model laptop equipped with USB-A or USB-C ports. It provides steady and efficient data transmission, with transfer speeds of up to 5Gbps. Additionally, the hub features a USB-C power port that can connect to a power adapter, supplying power to the hub when connected to high-power devices such as HDDs or SSDs, ensuring stable performance.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server/Storage/Network > Dockingstations/Hubs [+386][-126]
Ports & interfaces	
Ports quantity	7
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Hub interfaces	USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	3
Features	
Data transfer rate	5000 Mbit/s
Product colour	Grey
Housing material	Aluminium
Cable length	0.25 m
Plug and Play	Yes
Country of origin	China
Power	
Power supply type	USB/AC
System requirements	
Windows operating systems supported	Windows 11 Enterprise x64, Windows 7 Professional x64, Windows Vista Enterprise x64, Windows 10, Windows 11 Home, Windows 7 Starter, Windows Vista Home Basic, Windows 10 Education, Windows 11 Pro, Windows 7 Starter x64, Windows Vista Home Basic x64, Windows 10 Education x64, Windows 11 x64, Windows 7 Ultimate, Windows Vista Home Premium, Windows 10 Enterprise, Windows 7 Ultimate x64, Windows Vista Home Premium x64, Windows 10 Enterprise x64, Windows 7 x64, Windows Vista Ultimate, Windows 10 Home, Windows 8, Windows Vista Ultimate x64, Windows 10 Home x64, Windows 7, Windows 8 Enterprise, Windows Vista x64, Windows 10 IOT Core, Windows 7 Enterprise, Windows 8 Enterprise x64, Windows XP, Windows 10 IoT Enterprise, Windows 7 Enterprise x64, Windows 8 Pro, Windows XP Home, Windows 10 Pro, Windows 7 Home Basic, Windows 8 Pro x64, Windows XP Home x64, Windows 10 Pro x64, Windows 7 Home Basic x64, Windows 8 x64, Windows Vista, Windows XP Professional, Windows 10 x64, Windows 7 Home Premium, Windows Vista Business, Windows XP Professional x64, Windows 11, Windows 7 Home Premium x64, Windows Vista Business x64, Windows 11 Enterprise, Windows 7 Professional, Windows Vista Enterprise
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Other operating systems supported	Android
Weight & dimensions	

Width	138 mm
Depth	32 mm
Height	19 mm
Weight	374 g
Packaging data	
Package width	200 mm
Package depth	140 mm
Package height	55 mm
Package weight	384 g
Package type	Box
Packaging content	
Interface adapters included	USB Type-C female - USB Type-A male
AC adapter included	Yes
Quick start guide	Yes
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Logistics data	
Pallet gross width	120 cm
Pallet gross length	80 cm
Master (outer) case width	585 mm
Master (outer) case length	575 mm
Master (outer) case height	285 mm
Master (outer) case gross weight	16.4 kg
Products per master (outer) case	40 pc(s)
Harmonized System (HS) code	8517623500
Technical details	
Master (outer) cases per pallet	12 pc(s)
Compliance certificates	CE, RoHS