

Acer XB273UX1bmiiprx computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Gamintojas: **ACER** · Modelis: **UM.HX3EE.111** · EAN: **4711474642493** · Prekės kodas: **661083**



283,90 €

Kaina su PVM

Be PVM: **234,63 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 27" LCD IPS
- ✓ 200Hz, 0.5ms, 350cd/m²
- ✓ Quad HD, 16:9, 2560 x 1440



Aprašymas

This is display warfare at the edge of speed and fidelity. Predator XB3 wields up to 5K resolution, 500Hz refresh, and NVIDIA G-SYNC® Pulsar for fluid, precise motion, with each model serving as a portal to color-calibrated, professional-grade control.

HYPER SPEED VISUAL DOMINANCE

Ultra-high refresh rates up to 500Hz deliver razor-sharp motion, while up to 0.1ms response time ensures near-instant reactions. Stay fluid and untouchable in every frame.

DFR: SHIFT ON DEMAND

Switch between QHD@500Hz or HD@1000Hz with Dynamic Frequency and Resolution. It adapts in real time, so you never trade sharpness for speed—or speed for clarity.

TEAR-FREE, LOCKED-IN ACTION

Frame-sync technology eliminates tearing and stuttering, maintaining fluidity through even the most intense in-game scenarios.

NVIDIA G-SYNC® PULSAR

This new display technology combines adaptive sync with ultra-low motion blur to dramatically boost motion clarity and deliver smooth action without the usual blur.

AMD FREESYNC™ PREMIUM (APPLICATION IN PROGRESS)

Enjoy smooth, tear-free gaming with low latency and no frame drops, keeping every moment fluid and responsive from start to finish.

PIXEL-PERFECT IMMERSION

A display built for those who demand nothing less than visual truth. From dense 5K clarity to ultra-precise color, everything you see is exactly as it was meant to be.

CINEMATIC COLOR DEPTH

Every color. Every shade. Every highlight and shadow brought to life in breathtaking HDR.

CINEMATIC COLOR PRECISION

With up to 95% DCI-P3 color gamut and factory-calibrated accuracy, every hue and gradient is vivid, true-to-life, and ready for high-fidelity creative work or play.

LIGHT AND SHADOW IN BALANCE

VESA DisplayHDR™ 600 brings every scene to life with exceptional clarity. From the deepest blacks to the brightest highlights, every frame is rendered with precision—revealing the hidden stories within the light.

ADAPTIVE COMFORT + CONTROL

Fully adjustable ergonomics and intuitive display controls keep you in command. Dial in your environment—no matter how long the mission lasts.

Techninė specifikacija

Specifications	
Sandėlio grupė	Peripherals & Desktop > Monitors [+2277][-565]
Display	
Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	0.5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1

Maximum refresh rate	200 Hz
Display number of colours	1.07 billion colours
LED backlight	Yes
Display brightness (peak)	400 cd/m²
Display brightness (typical)	350 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Contrast ratio (dynamic)	100000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.233 x 0.233 mm
Pixel density	109 ppi
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 264 kHz
Digital vertical frequency	48 - 240 Hz
Display diagonal (metric)	69 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 400
Surface hardness	3H
Colour depth	8 bit
DCI-P3 coverage	90%
Performance	
AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Gaming
Product colour	Black

Ports & interfaces

Built-in USB hub	No
HDMI	Yes
Headphone out	Yes
HDMI ports quantity	2
HDMI version	2
DisplayPorts quantity	1
DisplayPort out version	1.4

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-20 - 20°
Tilt adjustment	Yes
Tilt angle range	-5 - 25°

Power

Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	25 kWh
Energy consumption (HDR) per 1000 hours	39 kWh
Power consumption (typical)	26 W
Power consumption (standby)	0.5 W
Power consumption (max)	50 W
Power consumption (off)	0.3 W
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	614 mm
--------------------	--------

Depth (with stand)	246 mm
Height (with stand)	571 mm
Weight (with stand)	5.87 kg
Width (without stand)	614 mm
Depth (without stand)	69 mm
Height (without stand)	367 mm
Weight (without stand)	4.19 kg
Packaging data	
Package weight	8.7 kg
Packaging content	
Stand included	Yes
Cables included	DisplayPort, HDMI, Power