

Vivolink VL120007 AV extender AV transmitter & receiver Black

Gamintojas: **VIVOLINK** · Modelis: **VL120007** · EAN: **5712505764855** · Prekės kodas: **661948**



296,90 €

Kaina su PVM

Be PVM: **245,37 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Support up to 4K@60Hz 4:2:0 video signal transmission
- ✓ Max transmission distance is 4K 131ft (40m) and 1080P 230ft (70m) over single CAT5e/CAT6 cable
- ✓ High Bandwidth: 10.2Gbps
- ✓ HDTV Compatible, HDMI1.4 and HDCP compliant
- ✓ Support PoC & CEC
- ✓ Use HDBaseT technology for extended capability and reliability
- ✓ Bi-directional IR control
- ✓ LED indicators showing work status
- ✓ HDMI over CAT6A



Aprašymas

Transmitter and Receiver. VL120007 is a HDBaseT extender for HDMI and bi-directional IR signals, which contains a transmitter (VL120007T) and a receiver (VL120007R). It transmits 4K signal up to 131ft (40m), 1080P signal up to 230ft (70m) over single Cat5e/Cat6 cable. The extender set supports PoC function, meaning only one power supply is needed.

HDMI over CAT6A

Techninė specifikacija

Specifications

Sandėlio grupė

Server/Storage/Network > Access Points/Routers [+1151][-307]

Features

Type	AV transmitter & receiver
------	---------------------------

Cable types supported	Cat5e
-----------------------	-------

Maximum transfer distance	70 m
---------------------------	------

IR pass-through	Yes
-----------------	-----

HDCP pass-through	Yes
-------------------	-----

CEC pass-through	Yes
------------------	-----

LED indicators	Yes
----------------	-----

Supported video modes	3840p
-----------------------	-------

Bandwidth	10.2 Gbit/s
-----------	-------------

Remote control type	IR
---------------------	----

HDCP	Yes
------	-----

3D	Yes
----	-----

HDCP & EDID bypass	Yes
--------------------	-----

Consumer Electronics Control (CEC) support	Yes
--	-----

Wall mountable	Yes
----------------	-----

Impedance	75 Ω
-----------	------

Signal-to-Noise Ratio (SNR)	70 dB
-----------------------------	-------

HDCP version	1.4
--------------	-----

Product colour	Black
----------------	-------

HDBaseT certified	Yes
-------------------	-----

Ports & interfaces

Connectivity technology	Wired
-------------------------	-------

Wi-Fi	No
-------	----

Bluetooth	No
-----------	----

RJ-45 input ports	1
-------------------	---

RJ-45 output ports	1
--------------------	---

HDBaseT port	Yes
--------------	-----

HDMI in	1
---------	---

Number of HDMI outputs	1
------------------------	---

HDMI version	1.4
--------------	-----

Video in	1
----------	---

Video out	1
-----------	---

Remote (IR) input	1
-------------------	---

Remote (IR) output	1
DC-in jack	Yes
Power	
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Operating voltage (transmitter)	12 V
Output current	1 A
Operating voltage (receiver)	12 V
Power consumption (transmitter) (max)	9.6 W
Power consumption (receiver) (max)	9.6 W
External power adapter	Yes
Power over Ethernet (PoE)	Yes
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	196 mm
Depth	132 mm
Height	111 mm
Weight	450 g
Receiver dimensions (WxDxH)	61 x 120 x 24 mm
Transmitter dimensions (WxDxH)	61 x 120 x 24 mm
Packaging data	
Package width	196 mm
Package depth	132 mm
Package height	111 mm
Package weight	552 g
Packaging content	
AC adapter included	Yes
Included power plug types	EU
IR blaster included	No
IR receiver included	No
Mounting brackets included	Yes
Technical details	

Audio support

Yes