

ATEN 1-Local/Remote Share Access Single Port 4K DisplayPort KVM over IP Switch

Gamintojas: **ATEN** · Modelis: **CN9950-AT-G** · EAN: **4710469340666** · Prekės kodas: **663222**



850,90 €

Kaina su PVM

Be PVM: **703,22 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports DisplayPort resolution up to 4K DCI (4096 x 2160 @ 30Hz)
- ✓ Two-NIC design for dual LAN support and network redundancy
- ✓ Dual power supply to ensure seamless connectivity
- ✓ Up to 32 remote users can simultaneously share control



Aprašymas

- 1x CN9950 4K DisplayPort KVM over IP Switch
- 1x DisplayPort cable
- 1x USB cable (USB-A to USB-B)
- 1x USB cable (USB-A to Mini-USB)
- 1x power adapter
- 1x control terminal block
- 1x mounting kit
- 1x foot pad set
- 1x user instructions

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Network > Switches [+2183][-1086]
Ports & interfaces	
Keyboard port type	USB
Mouse port type	USB
Video port type	DisplayPort
Console ports	3.5mm headphone, 3.5mm mic, DisplayPort, USB A
DisplayPorts quantity	2
USB 2.0 Type-B ports quantity	1
Console USB ports quantity	2
USB connector type	Mini-USB B
PS/2 ports quantity	1
Serial port type	RJ-45
Serial ports quantity	2
Audio connections	Yes
Headphone outputs	2
Number of microphone inputs	2
DC-in jack	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	2
Performance	
HD type	4K Ultra HD
Maximum resolution	4096 x 2160 pixels
Video bandwidth	30 Hz
Design	
Product colour	Black
Housing material	Metal
LED indicators	Yes
Display	
Built-in display	No
Power	
Power source	DC

Input voltage	5 V
Power consumption (typical)	9.76 W
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Weight & dimensions	
Width	149.3 mm
Depth	200 mm
Height	28.5 mm
Weight	1.25 kg
Packaging data	
Package width	98 mm
Package depth	325 mm
Package height	210 mm
Package weight	1.67 kg
Packaging content	
Cables included	DisplayPort, USB, USB Type-A to USB Type-B
Manual	Yes
AC adapter included	Yes
Logistics data	
Master (outer) case net weight	6.25 kg
Harmonized System (HS) code	85176200
Master (outer) case width	342 mm
Master (outer) case length	512 mm
Master (outer) case height	232 mm
Master (outer) case gross weight	8.98 kg
Products per master (outer) case	5 pc(s)