

Zyxel NWA30BE 5012 Mbit/s White Power over Ethernet (PoE)

Gamintojas: ZYXEL · Modelis: NWA30BE-EU0102F · EAN: 4718937650347 · Prekės kodas: 665836



90,90 €

Kaina su PVM

Be PVM: 75,12 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ WiFi 7 BE5100 5.1Gbps
- ✓ Easy setup, simple configuration
- ✓ Dual-band Smart Mesh with MLO
- ✓ Nebula cloud management



Aprašymas

The power of WiFi 7, right at your desk.

The NWA30BE desktop-style wireless access point brings next-generation WiFi 7 performance in a sleek, compact design. Built with a single 2.5mGig (multi-gig) uplink, it's designed for a WiFi-first approach, creating a clean, cable-free desktop where all your devices connect wirelessly.

Simply place it on your desk and power it through a standard outlet for instant access to seamless WiFi 7 speed and reliability.

Compact design. WiFi 7 performance.

The NWA30BE delivers ultra-low latency WiFi 7 in a compact desktop form factor, ideal for desktops, home offices and other small environments.

Powered by a Qualcomm quad-core processor and featuring dual-radio 2x2 MU-MIMO architecture, it delivers speeds of up to 5.1Gbps (BE5100). The built-in 2.5mGig LAN port eliminates wired bottlenecks, ensuring your network can take full advantage of next-gen WiFi 7 performance.

With Nebula cloud management and effortless app-based setup, the NWA30BE delivers fast, reliable WiFi designed to cover your desktop workspace – keeping all your devices connected wirelessly.

Expand WiFi to your desk without the complexity.

The NWA30BE features Smart Mesh with MLO (Multi-Link Operation) support, enabling automatic, dynamic wireless links that eliminate the need for complex cabling during deployment.

By using dual-radio backhaul instead of the single-radio approach seen in traditional mesh networks, it delivers significantly higher bandwidth, improved resistance to interference, and ultra-low latency – ensuring seamless, high-performance connectivity, perfect for extending WiFi coverage from other Zyxel Smart Mesh- enabled devices.

Click. Tap. Done.

Get up and running in minutes with the Nebula mobile app. With just a few simple clicks, our user-friendly step-by-step wizard walks you through the entire installation process, no technical expertise required.

Once connected, the intuitive interface gives you complete control, making it easy to adjust settings, monitor performance and manage your network anytime, anywhere.

Search: Zyxel Nebula Mobile

Powerful, effortless and scalable connectivity.

With Nebula, you can manage your entire network – wireless, switching, security and LTE/5G – through a single centralized cloud platform. Deploy and configure devices quickly and remotely, without the need for extra hardware controllers or software.

Whether you're managing one site or many, Nebula delivers real-time monitoring, instant alerts and complete network visibility – anytime, anywhere.

Scale confidently, simplify operations and stay secure – all through one intuitive platform.

Techninė specifikacija

Specifications	
Sandėlio grupė	Access Points [+28][-34]
Features	
2.4 GHz	Yes
5 GHz	Yes
6 GHz	No
Maximum data transfer rate	5012 Mbit/s
Maximum data transfer rate (2.4 GHz)	688 Mbit/s
Maximum data transfer rate (5 GHz)	4324 Mbit/s
Ethernet LAN data rates	2500 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11k, IEEE 802.11n, IEEE 802.11r, IEEE 802.11v
MIMO	Yes
MIMO type	Multi User MIMO
Fast roaming	Yes
VLAN support	Yes

Band steering	Yes
Security	
Security algorithms	WPA, WPA2, WPA3-Personal
Management features	
Cloud-managed	Yes
Firmware upgradeable	Yes
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Power	
Power over Ethernet (PoE)	Yes
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
DC voltage range	12 V
Input current	0.3 A
Output current	1.5 A
Design	
Placement	Desk
Product colour	White
Antenna	
Antenna type	External
Antennas quantity	2
Antenna gain level (max)	3 dBi
Weight & dimensions	
Width	155 mm
Depth	140 mm
Height	35 mm
Weight	307.3 g
Packaging data	
Package width	175 mm
Package depth	240 mm
Package height	60 mm
Package weight	640.9 g
Package type	Box
Packaging content	

Quantity per pack	1 pc(s)
AC adapter included	Yes
Cables included	LAN (RJ-45)
Operational conditions	
Operating relative humidity (H-H)	10 - 90%
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	10 - 90%
Matmenys ir svoris	
Matmenys (l × P × A)	18,00cm × 25,00cm × 6,00cm
Svoris	0,65kg