

Epson EB-1485Fi Ultra short throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) White

Gamintojas: **EPSON** · Modelis: **V11H919040** · EAN: **8715946674070** · Prekės kodas: **666235**



4 263,89 €

Kaina su PVM

Be PVM: **3 523,88 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Flexible display options and sizes: Cater for user needs in any working environment
- ✓ All-in-one interactive meeting display: Combines multiple resources in one interactive collaboration device
- ✓ Increase productivity & agile working: Share and display content from a range of devices simultaneously
- ✓ Sliding split screen: Up to four displays in one image - project images from different sources
- ✓ Easy installation: Quick set-up with auto-adjusting calibration function



Aprašymas

Transform your workplace with this large, scalable display that enriches collaboration and engagement, and promotes greater knowledge sharing with colleagues, clients or delegates using the latest and most versatile connectivity options. The EB-1485Fi has been designed to be easy to use, enriching collaborative and agile working environments.

Flexible display options and sizes

Deliver impactful sessions with a multi-touch display of up to 100 inches (16:9 standalone), 120 inches (16:6 standalone), or 155 inches using Epson's DuoLink feature, which combines two interactive display using built-in Edge Blending.

Sliding split screen

Combine up to four sources, such as video conference systems from multiple video sources and presentations, to optimise meeting interactions.

Transform your workplace with this large, scalable display that enriches collaboration and engagement, and promotes greater knowledge sharing with colleagues, clients or delegates using the latest and most versatile connectivity options. The EB-1485Fi has been designed to be easy to use, enriching collaborative and agile working environments.

Promotes collaboration and connectivity

The intuitive and easy-to-use UI, new touch home screen and new interactive OSD menu make it simple to set up and navigate across functions. Featuring multi-touch pen and finger capabilities, wireless BYOD connectivity and screen mirroring (Miracast). It also has secure user collaboration tools and an array of powerful connectivity options, both wireless and wired, including HDBaseT and HDMI out. The Epson iProjection App is available to download for free, providing seamless wireless connectivity and collaboration control from multiple devices and platforms. It's compatible with Windows, Office 365 suite and iOS, allowing the use of Office applications via PCs and tablets.

Fit and forget technology

Once installed, use for up to 20,000 hours without any maintenance, with the additional peace of mind of a five-year warranty. Helping to reduce running costs, and meaning you can 'fit and forget' and continue with the job in hand.

Techninė specifikacija

Specifications

Sandėlio grupė Entertainment Electronics > Projektors/Beamers [+467][-289]

Projector

Projector brightness	5000 ANSI lumens
Projection technology	3LCD
Projector native resolution	1080p (1920x1080)
Contrast ratio (typical)	2500000:1
Native aspect ratio	16:9
Screen size compatibility	1651 - 2540 mm (65 - 100")
Supported aspect ratios	16:9
Projection distance	0 - 0.78 m
Projection distance (wide)	0 - 0.4 m
Projection distance (tele)	0 - 0.6 m
Number of colours	1.07 billion colours
Projector brightness (economic mode)	3500 ANSI lumens
Vertical scan range	192 - 240 Hz
Keystone correction, horizontal	-3 - 3°
Keystone correction, vertical	-3 - 3°
Matrix size	1.57 cm (0.62")
Heat dissipation	1244 BTU/h

Light source

Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focus	Manual
Fixed focal length	3.9 mm
Zoom capability	Yes
Zoom type	Auto
Zoom ratio	1.35:1
Throw ratio	0.27 - 0.37:1
Video	
Full HD	Yes
3D	No
Supported graphics resolutions	1920 x 1080 (HD 1080)
Supported video modes	1080p
Video processing	10 bit
Video colour modes	Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode
Adjustable colour temperature	Yes
Ports & interfaces	
VGA (D-Sub) ports quantity	2
HDMI ports quantity	3
Composite video in	0
Component video (YPbPr/YCbCr) in	1
DVI port	No
Audio (L/R) in	0
Serial interface type	RS-232C
HDMI connector type	Full-size
S-Video inputs quantity	0
HDBaseT port	Yes
USB 2.0 ports quantity	2
USB 2.0 Type-B ports quantity	2
Headphone outputs	1
Microphone in	Yes
PC Audio in	Yes
PC Audio out	Yes

DC-in jack	Yes
Network	
Smart TV	No
Ethernet LAN	Yes
Wi-Fi	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Miracast	Yes
Storage	
Card reader integrated	No
Features	
Noise level	36 dB
Interactive	Yes
Interactive input supported	Interactive pen/Touch
Noise level (economic mode)	27 dB
On Screen Display (OSD)	Yes
Screen mirroring	Yes
Air filter	Yes
Composite sync	Yes
Country of origin	China
Password protection	Yes
Compatible operating systems	Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Ubuntu 14.10, Ubuntu 15.04, Windows 10, Windows 10 (32/64 bit), Windows 2000
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	16 W
Number of built-in speakers	2
Design	
Product type	Ultra short throw projector
Market positioning	Business
Product colour	White
Placement	Wall
Cable lock slot	Yes
Cable lock slot type	Kensington
Power	
Power source	AC

Power consumption (typical)	366 W
Power consumption (standby)	0.5 W
Power consumption (economy mode)	262 W
AC input voltage	220-240 V
AC input frequency	50 - 60 Hz
Software	
Software support	via: AMX, Crestron (Network), Extron, Crestron (RS-232C only), Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol
Windows operating systems supported	Windows 10, Windows 10 x64, Windows 2000
Operational conditions	
Storage temperature (T-T)	-10 - 60 °C
Weight & dimensions	
Weight	9.3 kg
Width	458 mm
Depth	375 mm
Height	210 mm
Package width	472 mm
Package depth	590 mm
Package height	640 mm
Package weight	27.7 kg
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC
Manual	Yes
Mounting brackets included	Yes
AC adapter included	Yes
WLAN adapter included	Yes
Bundled software	Easy Interactive Tools, EasyMP Multi PC Projection, Epson Projektor Management
Technical details	
Sustainability certificates	TCO
Logistics data	
Quantity per pack	1 pc(s)
Products per pallet	6 pc(s)

Pallet gross weight	0 g
Products per pallet (UK)	12 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	85286200
Other features	
Supported network protocols	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink
Matmenys ir svoris	
Matmenys (I × P × A)	59,00cm × 47,00cm × 64,00cm