

GIGABYTE RTX 3060 Windforce OC 12G NVIDIA GeForce RTX 3060 12 GB GDDR6

 Gamintojas: **GIGABYTE** · Modelis: **GV-N3060WF2OC-12GD** · EAN: **4719331311193** · Prekės kodas: **666662**


593,90 €

Kaina su PVM

 Be PVM: **490,83 €**

Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ NVIDIA GeForce RTX 3060 12 GB GDDR6
- ✓ 7680 x 4320 pikseliai 192 bitai 15000 MHz PCI Express x16 4.0
- ✓ HDMI portų kiekis: 2 „DisplayPort“ kiekis: 2
- ✓ „DirectX“ versija: 12 Ultimate OpenGL versija: 4.6
- ✓ 1x 8-pin



Aprašymas

WINDFORCE 2X COOLING SYSTEM

The WINDFORCE 2X cooling system features two 90mm unique blade fans, alternate spinning, 3 composite copper heat pipes direct touch GPU, 3D active fan and Screen cooling, which together provide high efficiency heat dissipation.

ALTERNATE SPINNING

The GIGABYTE “Alternate Spinning” is the only solution that can solve the turbulent airflow of adjacent fans. Since the adjacent fans rotate in the same direction, the airflow direction is opposite between the fans, which will cause turbulent airflow and reduce heat dissipation efficiency. GIGABYTE turns the adjacent fans in the opposite direction, so that the airflow direction between the two fans is the same, reducing the turbulence and enhancing the airflow pressure.

UNIQUE BLADE FAN

The airflow is spilt by the triangular fan edge, and guided smoothly through the 3D stripe curve on the fan surface, effectively enhancing the airflow.

3D ACTIVE FAN

The 3D Active Fan provides semi-passive cooling, and the fans will remain off when the GPU is in a low load or low power game. It allows gamers to enjoy gameplay in complete silence when the system is running light or idle.

HEAT PIPES DIRECT TOUCH

The shape of the pure copper heat pipe maximizes the direct contact area with the GPU, enhancing heat transfer. The heat pipe also covers the VRAM through a large metal plate contact to ensure proper cooling.

GRAPHENE NANO LUBRICANT

Graphene nano lubricant can extend the life of fan by 2.1 times, close to the life of double ball bearing, and is quieter.

SCREEN COOLING

Extended heatsink design allows air flow to pass through, providing better heat dissipation.

TINY SIZE WITH MIGHTY PERFORMANCE.

For gamers who prefer a small build with powerful performance, GIGABYTE delivers a compact graphics card with less than 200mm in length. The card provides mighty performance and is easy to install in any small chassis as well.

PROTECTION BACK PLATE

The back plate not only provides an aesthetical shape, but also enhances the structure of the graphics card to provide complete protection.

EXTREME DURABILITY & OVERCLOCKING

The graphics card uses the better power phase design to allow the MOSFET to operate at lower temperature, and over-temperature protection design and load balancing for each MOSFET, plus the Ultra Durable certified chokes and capacitors, to provide excellent performance and longer system life.

FRIENDLY PCB DESIGN

Fully automated production process ensures top quality of the circuit boards and eliminates sharp protrusions of the solder connectors seen on the conventional PCB surface. This friendly design prevents your hands from getting cut or inadvertently damaging components when making your build.

Techninė specifikacija

Procesorius	
Grafikos procesoriaus šeima	NVIDIA
Grafikos procesorius	GeForce RTX 3060
Maksimali rezoliucija	7680 x 4320 pikseliai
CUDA	Taip
Procesoriaus dažnis	1792 MHz
CUDA šerdys	3584
Maksimalus ekranų skaičius kiekvienai vienai vaizdo plokštei	4
Atmintis	
Diskrečiojo grafikos adapterio atmintis	12 GB
Grafikos adapterio atminties tipas	GDDR6
Atminties magistralė	192 bitai
Atminties laikrodžio greitis	15000 MHz
Komandų grandinių skaičius	3
Atminties pralaida (maks)	360 GB/s
Ryšys	
Sąsajos tipas	PCI Express x16 4.0
HDMI portų kiekis	2
DVI-D prievadų skaičius	0
DVI-I prievadų skaičius	0
„DisplayPort“ kiekis	2
HDMI versija	2.1
VGA (D-Sub) portų kiekis	0
„DisplayPort“ versija	1.4a
Veikimo charakteristikos	
Integruotas TV tiuneris	Ne
„DirectX“ versija	12 Ultimate
OpenGL versija	4.6
Dvi DVI išvestys	Ne
NVIDIA G-SYNC	Taip
Konstrukcija	
Aušinimo tipas	Aktyvus
Aušinimo technologija	GIGABYTE WINDFORCE 2X

Ventiliatorių skaičius	2 ventiliatorius(iai / ių)
Produkto spalva	Juoda
Energijos valdymas	
Minimalus sistemos maitinimas	550 W
Papildomos maitinimo jungtys	1x 8-pin
Svoris ir matmenys	
Ilgis	198 mm
Ilgis	39 mm
Aukštis	121 mm
Pakuotės duomenys	
Pakuotės tipas	„Box“
Pakuotės turinys	
Instrukcija	Taip
Matmenys ir svoris	
Svoris	0,83kg

Gamintojo ir saugos informacija

GAMINTOJAS

GIGA-BYTE TECHNOLOGY CO., LTD.

Baoqiang Rd., Xindian Dist. No.6, 231 New Taipei City, TW
gigabyte.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt