

Dahua Technology WizSense DH-IPC-HDBW2649E-S-IL-0280B security camera Spherical CCTV security camera Indoor & outdoor Ceiling

Gamintojas: **DAHUA** · Modelis: **DH-IPC-HDBW2649E-S-IL-0280B** · EAN: **6939554908170** · Prekės kodas: **666967**



192,90 €

Kaina su PVM

Be PVM: **159,42 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1/2.7" CMOS image sensor, low luminance, and high definition image
- ✓ Outputs max. 6 MP (3288×1850) @20 fps, and supports 2688×1520 (2688 × 1520) @25/30 fps
- ✓ H.265 codec, high compression rate, ultra-low bit rate
- ✓ Built-in warm light and IR LED, the max. IR distance is 30 m and the max. warm light distance is 30 m
- ✓ ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments
- ✓ Rotation mode, WDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes
- ✓ Intelligent monitoring: Intrusion, tripwire (the two functions support the classification and accurate detection of vehicle and human)
- ✓ Abnormality detection: Motion detection, video tampering, audio detection, no SD card, SD card full, SD card error, network disconnection, IP conflict, illegal access, and voltage detection
- ✓ Supports max. 256 G Micro SD card; built in Mic
- ✓ 12 VDC/PoE power supply, easy for installation



Aprašymas

Launched by Dahua Technology, WizSense is a series of AI products and solutions that adopt independent AI chip and deep learning algorithm. It focuses on human and vehicle with high accuracy, enabling users to fast act on defined targets. Based on Dahua's advanced technologies, WizSense

provides intelligent, simple and inclusive products and solutions.

With advanced deep learning algorithm, Dahua WizSense 2 Series network camera supports intelligent functions, such as perimeter protection and smart motion detection. With starlight technology, this series camera provides a better image effect in the condition of low illuminance.

Techninė specifikacija

Performance	
Type	CCTV security camera
Placement supported	Indoor & outdoor
Connectivity technology	Wired
Design	
Mounting type	Ceiling
Product colour	White
Form factor	Spherical
Housing material	Metal
International Protection (IP) code	IP67
IK code	IK10
Camera	
Minimum illumination	0.0007 lx
Angle of rotation	360°
Tilt angle range	0 - 78°
Pan range	0 - 360°
Network	
Ethernet LAN	Yes
Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP ; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; QoS; UPnP; NTP; Multicast; ICMP; IGMP; NFS; PPPoE; P2P; Bonjour; Auto Registration
Number of users	20 user(s)
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1

Security	
Video motion detection	Yes
Mirror	Yes
Digital watermark	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	14,00cm × 14,00cm × 12,00cm