

# Dahua Technology VTH2621GW-P video intercom system 17.8 cm (7") White

Gamintojas: **DAHUA** · Modelis: **VTH2621GW-P** · EAN: **6923172531520** · Prekės kodas: **666990**



## 158,90 €

Kaina su PVM

Be PVM: **131,32 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 6-channel alarm input and 1-channel alarm output
- ✓ Standard PoE
- ✓ H.265 and H.264 video coding
- ✓ High performance & cost-effective

## Aprašymas

- > 7" TFT capacitive touch screen, 1024 × 600
- > 6-channel alarm input and 1-channel alarm output
- > Standard PoE
- > Outdoor station and IPC monitor
- > H.265 and H.264 video coding
- > High performance & cost-effective
- > Color White

Vendor Homepage: [www.dahuasecurity.com/products/All-Products/Video-Intercoms/IP-Series/Indoor-Monitor/Lite-Series/VTH2621G\(W\)-P](http://www.dahuasecurity.com/products/All-Products/Video-Intercoms/IP-Series/Indoor-Monitor/Lite-Series/VTH2621G(W)-P) | RJ45: 1 | Alarm In: 6 | Alarm Out: 1 | Unit Height: 7.5 | Shipping Box Height: 7.5 | Unit Depth: 25.5 | Unit Width: 19 | Unit Calculated Volume: 0.003634 | Units per Shipping Box: 1 | Product Net Weight: 0.34 | Unit Calculated Weight: 0.6 | Model: VTH2621GW-P | Display: Yes | Power supply requirements: 12 VDC 1A | Operating temperature range: -10 °C to +55 °C | Name: MONITOR LCD 7" IP DOORPHONE/POE/ VTH2621GW-P DAHUA | Colour: White | Dimensions: 189.6 mm × 134.6 mm × 26.0 mm

## Techninė specifikacija

### Specifications

|                                   |                                                            |
|-----------------------------------|------------------------------------------------------------|
| Sandėlio grupė                    | Door Entry Video Systems [+28][-140]                       |
| Features                          |                                                            |
| Connectivity technology           | Wired                                                      |
| Colour                            | Yes                                                        |
| Echo cancellation                 | Yes                                                        |
| Wall mountable                    | Yes                                                        |
| Display                           |                                                            |
| Display diagonal                  | 17.8 cm (7")                                               |
| Display technology                | TFT                                                        |
| Display resolution                | 1024 x 600 pixels                                          |
| Touchscreen                       | Yes                                                        |
| Touchscreen type                  | Capacitive                                                 |
| Video formats supported           | H.264, H.265                                               |
| Audio                             |                                                            |
| Built-in speaker(s)               | Yes                                                        |
| Voice codecs                      | PCM, G.711a, G.711u                                        |
| Design                            |                                                            |
| Product colour                    | White                                                      |
| Indoor unit housing material      | ABS, Polycarbonate                                         |
| Network                           |                                                            |
| Ethernet interface type           | Fast Ethernet                                              |
| Ethernet LAN data rates           | 10,100 Mbit/s                                              |
| Power over Ethernet (PoE)         | Yes                                                        |
| Supported network protocols       | IPv4; FTP; UPnP; SNMP; DNS; DDNS; RTSP; RTP; TCP; UDP; SIP |
| Software                          |                                                            |
| Operating system installed        | Embedded LINUX                                             |
| Power                             |                                                            |
| Indoor unit power type            | DC                                                         |
| Power consumption (typical)       | 6 W                                                        |
| Power consumption (standby)       | 2 W                                                        |
| Operational conditions            |                                                            |
| Operating temperature (T-T)       | -10 - 55 °C                                                |
| Operating relative humidity (H-H) | 10 - 95%                                                   |
| Weight & dimensions               |                                                            |

|                      |                            |
|----------------------|----------------------------|
| Width                | 189.6 mm                   |
| Depth                | 26 mm                      |
| Height               | 134.6 mm                   |
| Weight               | 340 g                      |
| Packaging data       |                            |
| Indoor unit included | Yes                        |
| Package weight       | 580 g                      |
| Technical details    |                            |
| Certification        | CE; FCC                    |
| Matmenys ir svoris   |                            |
| Matmenys (I × P × A) | 26,00cm × 19,00cm × 8,00cm |