

Lindy 2 Port HDMI 8K60 Splitter with Audio

Gamintojas: **LINDY** · Modelis: **38534** · EAN: **4002888385343** · Prekės kodas: **667005**



134,90 €

Kaina su PVM

Be PVM: 111,49 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Displays HDMI® signals across 2 displays simultaneously from one source device
- ✓ Supports resolutions up to 8K 60Hz 4:4:4, with additional support for HDR
- ✓ Extract digital and analogue audio from HDMI® for non-HDMI® amplifiers
- ✓ Features a neat switch for downscaling from 8K to 4K or 1080p



Aprašymas

The Lindy 2 Port HDMI® 8K60 Splitter with Audio is a multi-function solution for distributing high quality HDMI® signals across 2 displays simultaneously from one source device, while extracting digital or analogue audio separately.

With support for resolutions up to 8K 60Hz 4:4:4 8bit, this splitter is great for creating eye-catching dual display digital signage in retail scenarios, displaying live video across two screens at event venues or distributing engaging multiscreen educational presentations at tradeshows.

The splitter also has separate optical and 3.5mm audio ports to easily extract audio from HDMI® to connect non-HDMI® amplifiers or soundbars, ideal for supporting video with immersive multichannel audio.

The splitters also features an integrated switch to downscale the input signal to 4K or Full HD, making installations with older displays hassle free while always ensuring the viewer receives the optimum picture from their display.

Techninė specifikacija

Specifications	
Sandėlio grupė	Video Splitters [+14][-15]
Ports & interfaces	
Video ports quantity	2
Video port type	HDMI
Video out	2x HDMI
HDMI version	2.1
Digital audio optical out	1
Headphone out	Yes
Headphone connectivity	3.5 mm
DC-in jack	Yes
Features	
Maximum resolution	7680 x 4320 pixels
Product colour	Black
Housing material	Metal
HD type	8K Ultra HD
Colour depth	8 bit
Maximum refresh rate	60 Hz
HDCP version	2.3
Data transfer rate	48 Gbit/s
HDCP	Yes
Easy to install	Yes
LED indicators	Yes
Certification	CE, FCC, RoHS, REACH & California Proposition 65
Power	
AC input voltage	5 V
Input current	2 A
Weight & dimensions	
Width	145 mm
Depth	17 mm
Height	68 mm
Weight	325 g
Packaging data	

Quantity per pack	1 pc(s)
Package width	200 mm
Package depth	70 mm
Package height	115 mm
Package weight	458 g
Package type	Box
Packaging content	
Manual	Yes
Cables included	Power
AC adapter included	Yes
Included power plug types	AU, EU, UK
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	20 - 90%
Technical details	
Connector 1	2 x HDMI Type A
Connector 2	HDMI Type A
Warranty period	2 year(s)
Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS
Matmenys ir svoris	
Matmenys (I × P × A)	20,00cm × 12,00cm × 7,00cm