

CLUB3D Mini DisplayPort to DisplayPort 1.4 HBR3 8K60Hz Cable, 2 Meter / 6.56 Feet

Gamintojas: **CLUB3D** · Modelis: **CAC-1115** · EAN: **8719214470630** · Prekės kodas: **667201**



18,90 €

Kaina su PVM

Be PVM: **15,62 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2 m
- ✓ Mini Displayport Straight Male
- ✓ Displayport Straight Male
- ✓ DisplayPort version: 1.4
- ✓ 7680 x 4320 pixels 120 Hz 32.4 Gbit/s
- ✓ Display Stream Compression (DSC) 3D Plug and Play
- ✓ Black



Aprašymas

The Club 3D Mini DisplayPort™ to DisplayPort™ 1.4 cable enables the connection of your Mini DisplayPort™ supported (Gaming) PC or Laptop to an (Ultra) High Resolution Monitor or other DisplayPort™ supported device. It features a locking DisplayPort™ connector providing a secure, dependable connection. Simply press the built-in one-touch latch button to unlock the connector. The soft UltraFlex jacket protects the cable from bends and deformation damage. The Cable is fully Bi-Directional.

Features:

- * Fully DisplayPort™ Version 1.4 Compliant, HBR3, 32.4Gbps
- * Support for Display Stream Compression (DSC) 1.2
- * Support for Forward Error Correction

- * Support for up to 32 Inline Audio Channels
- * Downwards compatible to older Displayport standards
- * Support resolutions up to 8K @ 60Hz or 2 x 4K @ 60Hz
- * Fully Bi-Directional

Techninė specifikacija

Specifications	
Sandėlio grupė	DisplayPort Cables [+32][-36]
Features	
Cable length	2 m
Connector 1	Mini Displayport
Connector 2	Displayport
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	7680 x 4320 pixels
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
DisplayPort version	1.4
Supported graphics resolutions	3840 x 2160, 7680 x 4320
Supported video modes	2160p, 4320p
Maximum refresh rate	120 Hz
Display Stream Compression (DSC)	Yes
Display Stream Compression (DSC) version	1.2
3D	Yes
Number of shielding layers	3
Data transfer rate	32.4 Gbit/s
Plug and Play	Yes
Connector gender	Male/Male
Cable type	Round cable
Certificates	
Compliance certificates	RoHS
Certification	ROHS, CE, FCC
Weight & dimensions	
Weight	93 g

Packaging data

Package width	145 mm
Package depth	45 mm
Package height	145 mm
Package type	Box
Paper/cardboard packaging weight	63 g
Plastic packaging weight	5 g
Total plastic packaging weight	0 g
Total paper/cardboard packaging weight	0 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	85444290
-----------------------------	----------

Other features

Length	2000 mm
--------	---------

Matmenys ir svoris

Matmenys (l × p × a)	15,00cm × 15,00cm × 5,00cm
----------------------	----------------------------