

TP-Link AC1300 Nano Wireless MU-MIMO USB Adapter

Gamintojas: **TP-LINK** · Modelis: **ARCHERT3UNANO** · EAN: **6935364072667** · Prekės kodas: **667206**



17,90 €

Kaina su PVM

Be PVM: **14,79 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ultimate Wi-Fi Speed – Up to 1300 Mbps speeds with 400 Mbps on 2.4GHz and 867 Mbps on 5GHz, upgrades your devices to higher AC WiFi speeds
- ✓ Dual Band Connection – 2.4 GHz and 5 GHz band for flexible connectivity, enables your devices to work with the latest dual-band WiFi router for faster speed and extended range
- ✓ MU-MIMO Technology – Delivers highly efficient wireless connection
- ✓ Nano Design – Small, unobtrusive design allows you to plug it in and forget it is even there
- ✓ System Compatibility – Supports Windows 11/10/8.1/8/7, Mac OS 10.15 and earlier



Aprašymas

Tiny in Size,

Mightily in Performance

AC1300 Nano Wireless MU-MIMO USB Adapter

Immersive Experience with Dual Band Connection

Receive WiFi signals on two separate bands for all your online needs. High-speed dual band WiFi up to 1300 Mbps means Archer T3U Nano is able to support all your online activities, from HD video streaming to lag-free online gaming and web surfing.

Boosted Throughput with MU-MIMO

Archer T3U Nano that supports MU-MIMO technology boosts the throughput and efficiency of the entire network when works with MU-MIMO routers, which provide multiple data streams simultaneously.

Advanced Security with WPA3

The latest Wi-Fi security protocol, WPA3, brings new capabilities to improve cybersecurity in personal networks. More secure encryption in Wi-Fi password safety and enhanced protection against brute-force attacks combine to safeguard your home Wi-Fi.

Miniature Design Brings Infinite Convenience

Archer T3U Nano is designed to be as convenient as possible. With its miniature size and sleek design, you can connect the nano adapter to any USB port and leave it there, whether you are traveling or at home.

Easy Setup

A friendly user interface on a CD for simple installation

Operating System

Supports operating systems include Windows 11/10/8.1/8/7, Mac OS 10.15 and earlier

Techninė specifikacija

Specifications	
Sandėlio grupė	Wireless Network Adapters [+27][-30]
Ports & interfaces	
Connectivity technology	Wireless
Host interface	USB
Interface	WLAN
USB version	2
Network	
Maximum data transfer rate	1267 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	Yes
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Frequency range	2.4 - 5 GHz
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Modulation	16-QAM, 64-QAM, 256-QAM, CCK, DBPSK, DQPSK, OFDM
Security algorithms	WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, WPA3, WPA3-SAE
Design	
Internal	No
Component for	PC/Laptop
Product colour	Black

LED indicators	Status
Operating modes	Infrastructure mode
System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 x64
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	19.9 mm
Depth	15.7 mm
Height	7.39 mm
Packaging data	
Package width	138 mm
Package depth	128 mm
Package height	30 mm
Package weight	10 g
Packaging content	
Resource CD	Yes
Quick installation guide	Yes
Technical details	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Sustainability	
Sustainability compliance	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	14,00cm × 13,00cm × 3,00cm

