

TP-Link Archer T3U WLAN 867 Mbit/s

Gamintojas: **TP-LINK** · Modelis: **ARCHERT3U** · EAN: **6935364083830** · Prekės kodas: **667210**



16,90 €

Kaina su PVM

Be PVM: **13,97 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ultimate WiFi Speed* – AC1300 (400 Mbps on 2.4GHz band and 867 Mbps on 5GHz band) wireless speed with the next generation Wi-Fi - 802.11ac
- ✓ Dual Band Wireless – 2.4GHz and 5GHz band for flexible connectivity
- ✓ Mini design – Mini-sized design for convenient portability with a reliable high performance
- ✓ Super Speed USB 3.0 Port - Up to 10x faster transfer speeds than USB 2.0
- ✓ MU-MIMO** - Delivers highly efficient wireless connection
- ✓ Supported Operating System – Supports Windows 10/8.1/8/7/XP, Mac OS X



Aprašymas

Mini Size,

Big performance

AC1300 Mini Wireless MU-MIMO USB Adapter

High-Speed Dual Band Adapter for Better Connections

Wireless AC technology means Archer T3U delivers connections that are up to 3x faster than with the previous Wireless N standard. High-speed WiFi (up to 867 Mbps over the 5 GHz band and 400 Mbps over the 2.4 GHz band) means Archer T3U is able to support all your online activities, from HD video streaming to lag-free online gaming and web surfing.

Miniature Design - Take With You On the Go

Archer T3U has a smart design that is tinier than most USB adapters. Not only can it be inserted into any USB port but is also easy to carry.

USB 3.0 for Superior Transfer Speeds

Experience blazing-fast data transfers of up to 4.8 Gbps with USB 3.0 — the latest USB connectivity standard. USB 3.0 transfers data up to 10x faster than USB 2.0 and is also backwards compatible with USB 2.0. Combined with 802.11ac Wi-Fi, USB 3.0 makes Archer T3U ideal for HD streaming, online gaming and large file downloads.

Boosted Throughput with MU-MIMO

With MU-MIMO technology, Archer T3U can provide two simultaneous data streams, improving the throughput and efficiency of the entire network when working with a compatible MU-MIMO router.

Easy Setup

A friendly user interface comes on a CD for simple installation.

Advanced Security

WPA/WPA2 encryption standards ensure your wireless connections safety.

Operating System

Supports Windows, Mac OS

Techninė specifikacija

Specifications	
Sandėlio grupė	Wireless Network Adapters [+27][-30]
Ports & interfaces	
Connectivity technology	Wireless
Host interface	USB
Interface	WLAN
USB ports quantity	1
USB version	3.2 Gen 1 (3.1 Gen 1)
Network	
Maximum data transfer rate	867 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	Yes
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Frequency range	2.4 - 5 GHz
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN data transfer rates supported	11,54,300,400,867 Mbit/s
Modulation	16-QAM, 64-QAM, 256-QAM, CCK, DBPSK, DQPSK, OFDM
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK

MU-MIMO	Yes
Design	
Internal	No
Component for	PC/Laptop
Product colour	Black
Antenna	Yes
Antenna design	Internal
Antenna direction type	Omni-directional
Transmitting power (CE)	23 dBm
Transmitting power (FCC)	23 dBm
LED indicators	Status
Operating modes	Infrastructure mode
Power	
USB powered	Yes
System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.9 Mavericks
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	40.5 mm
Depth	19.7 mm
Height	10.3 mm

Packaging data	
Package width	138 mm
Package depth	128 mm
Package height	30 mm
Package weight	90 g
Packaging content	
Resource CD	Yes
Quick installation guide	Yes
Technical details	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Logistics data	
Harmonized System (HS) code	85176990
Sustainability	
Sustainability compliance	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	14,00cm × 13,00cm × 3,00cm