

Yealink WPP30 Network Media Streaming Adapter USB-C

Gamintojas: **YEALINK** · Modelis: **1303112** · EAN: **6938818309920** · Prekės kodas: **667780**



499,90 €

Kaina su PVM

Be PVM: **413,14 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Plug & Play allows users to enjoy instant content sharing
- ✓ Present wirelessly
- ✓ Touch & Go, just click the button and start collaboration right away.
- ✓ Hardware Encoding Solution, Burden-free for PC Operation



Aprašymas

The Yealink WPP30 is a new 4K Ultra HD wireless presentation pod. Empowered with up to 4K/30FPS UHD hardware encode streaming output, WPP30 saves a lot of effort by eliminating any software or driver installation. A USB Type-A/ full-featured USB Type-C port is suitable for different computers and phones. Since WPP30 has the embedded meeting assistant software and Wi-Fi 6 chip, simply plug WPP30 into the devices, and you can quickly ready to present. WPP30 provides you with a more convenient and richer content sharing experience.

Techninė specifikacija

Specifications

Sandėlio grupė

Entertainment Electronics > Multimedia [+192][-84]

Design

Form factor

Dongle

Product colour	Black
LED indicators	Yes
Features	
Supported graphics resolutions	3840 x 2160
Maximum frame rate	30 fps
Network	
Wi-Fi standards	802.11a, 802.11b, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
Frequency band	2.4/5 GHz
Dual-band	Yes
Bluetooth	Yes
Bluetooth version	5
Security algorithms	WPA-PSK, WPA2-PSK
Ports & interfaces	
Interface	USB Type-C
Power	
Power source type	USB
Input voltage	5 V
Input current	0.6 A
Power consumption (typical)	2.2 W
System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Mac compatibility	Yes
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Operational conditions	
Operating temperature (T-T)	-10 - 40 °C
Operating relative humidity (H-H)	0 - 90%

Weight & dimensions

Width	220 mm
Depth	38 mm
Height	16 mm
Weight	75 g
Package width	220 mm
Package depth	38 mm
Package height	16 mm

Packaging content

Interface adapters included	USB Type-C female - USB Type-A male
-----------------------------	-------------------------------------

Logistics data

Country of origin	China
-------------------	-------

Matmenys ir svoris

Matmenys (l × p × A)	22,00cm × 4,00cm × 2,00cm
----------------------	---------------------------