

TP-Link TL-PA8010P KIT PowerLine network adapter 1300 Mbit/s Ethernet LAN White 2 pc(s)

Gamintojas: **TP-LINK** · Modelis: **TL-PA8010P KIT** · EAN: **6935364033125** · Prekės kodas: **674836**



103,90 €

Kaina su PVM

Be PVM: **85,87 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HomePlug AV2 standard compliant, high-speed data transfer rates of up to 1300Mbps¹, supports all your online needs
- ✓ Line-Neutral/Line-Ground 2x2 MIMO with Beamforming ensures larger range, higher transmission capacity and more stable connections
- ✓ Gigabit port provides secure wired networks for desktops, smart TVs or games consoles
- ✓ Integrated power socket ensures no power outlet goes to waste
- ✓ Plug and play, no configuration required
- ✓ Patented Power-Saving Mode automatically reduces power consumption by up to 85%



Aprašymas

Upgraded 1300Mbps!

Perfect for Bandwidth Demanding Activities

Advanced HomePlug AV2 technology means the TL-PA8010P KIT supports 2x2 MIMO* with beamforming, so users benefit from ultra-fast data transfer speeds of up to 1300Mbps. Perfect for bandwidth demanding activities like streaming Ultra HD video to multiple devices simultaneously, online gaming and large file transfers.

Line-Neutral / Line-Ground with Beamforming

Larger Range

MIMO Technology with Beamforming maximizes the performance on the independent streams, which improves coverage throughout the home, particularly for previously hard to reach outlets.

Higher Transmission Capacity & More Stable Connections

MIMO Technology means the TL-PA8010P KIT can use the 3 wires, including the live, neutral and earth to create multiple data paths, meaning that you benefit from faster data throughput and more stable connections.

Gigabit Port for Ultra-fast Data Transfer Speed

With one Gigabit Ethernet port, TL-PA8010P KIT allows users to connect a bandwidth intensive device to the Internet at high speeds and ensures the smooth transmission of Ultra HD video streaming. This makes the TL-PA8010P KIT the perfect home entertainment companion.

Plug and Play, No Configuration Required

Connect a powerline adapter to the router; plug another powerline adapter into a wall socket in another room, and connect it to your Internet enabled device via Ethernet - and you're done!

Extra Power Socket for Additional Devices

The integrated power socket, with power output of up to 16A, means the powerline can be used like a traditional electrical socket. Simply plug in your device or extension lead as though it were a normal wall socket. The built-in noise filter also helps to prevent electrical signal noise from affecting Powerline performance.

Power Save by Up to 85%

TL-PA8010P KIT is a new-generation of Powerline adapter. Its sophisticated Power-Saving mode automatically switches from its regular "Working" mode to "Power-Saving" mode reducing energy consumption by up to 85%.

Techninė specifikacija

Specifications	
Sandėlio grupė	Powerlan [+41][-0]
Performance	
Maximum data transfer rate	1300 Mbit/s
Ethernet LAN	Yes
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Power plug	Type E / F
Built-in power socket	Yes
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T

Ethernet LAN (RJ-45) ports	1
PowerLine standard	HomePlug AV2
Modulation	OFDM
Security algorithms	128-bit AES
Maximum operating distance	300 m
Plug and Play	Yes

Power

Power consumption (typical)	6 W
Power consumption (standby)	0.5 W
AC input voltage	220 V
AC input frequency	50 Hz

Design

Product colour	White
LED indicators	LAN, PLC, Power
Certification	CE

System requirements

Windows operating systems supported	Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows XP
Linux operating systems supported	Yes
Mac compatibility	Yes
Mac operating systems supported	macOS

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	42 mm
Depth	72 mm
Height	131 mm

Certificates

Compliance certificates	RoHS
-------------------------	------

Packaging data

Package width	230 mm
Package depth	190 mm

Package height	100 mm
----------------	--------

Package weight	700 g
----------------	-------

Packaging content

Quantity per pack	2 pc(s)
-------------------	---------

Quick installation guide	Yes
--------------------------	-----

Cables included	LAN (RJ-45)
-----------------	-------------

Logistics data

Harmonized System (HS) code	85171800
-----------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	23,00cm × 19,00cm × 10,00cm
----------------------	-----------------------------

Svoris	0,68kg
--------	--------