

LevelOne GEMINI FIXED IP CAMERA, 6-MP, H.265, 802.3AF, POE, IR LEDS 60 METER, INDOOR/OUTDOOR

Gamintojas: **LEVEL ONE** · Modelis: **FCS-5092** · EAN: **4015867228333** · Prekės kodas: **675645**



325,90 €

Kaina su PVM

Be PVM: **269,34 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Free surveillance and CMS (Central Management System) software packages with 64-channel license
- ✓ Built-in Micro SDHC/SDXC card slot for local storage
- ✓ Built-in infrared LEDs for night viewing up to 60m
- ✓ 6-Megapixel high-definition resolution
- ✓ Video compression: H.264, H.265
- ✓ Weatherproof IP67-rated housing



Aprašymas

The LevelOne FCS-5092 is a fixed-position outdoor camera offering an ultra-reliable, cost-effective solution for outdoor IP surveillance networks, and is rated at IP67 to operate within rain, extreme heat, snow, dust and humid conditions. Offering clear, sharp imagery with 6-Megapixel resolution and the versatility of 802.3af standard PoE to transfer power and data via a single Cat.5 cable, the LevelOne FCS-5092 should be an essential part of any security deployment that requires smart, reliable outdoor cameras.

Techninė specifikacija

Specifications

Sandėlio grupė Netzwerkkameras [+927][-46]

Performance

Type	IP security camera
Placement supported	Indoor & outdoor
Connectivity technology	Wired
Wide Dynamic Range (WDR)	Yes
Infrared (IR) cut-off filter	Yes
Number of languages	33
Dynamic range	120 dB
Certification	FCC, UL

Design

Mounting type	Wall
Product colour	White
Form factor	Bullet
LED indicators	Power
International Protection (IP) code	IP67
Weatherproof	Yes
Country of origin	China

Camera

Minimum illumination	0 lx
Field of view (FOV) angle	83.9°
Camera shutter speed	1/3 - 1/100000 s

Image sensor

Sensor type	CMOS
-------------	------

Lens system

Digital zoom	8x
--------------	----

Night vision

Night vision	Yes
Night vision distance	60 m
LED type	IR

Video

Maximum resolution	3200 x 1800 pixels
Total megapixels	6 MP
Video formats supported	MPEG4

Video compression formats	H.264, H.265
Supported graphics resolutions	640 x 360, 640 x 480 (VGA), 1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2688 x 1520, 3200 x 1800
Image quality adjustment	Brightness, Contrast, Saturation, Sharpness
Audio	
Audio system	1-way
Network	
Ethernet LAN	Yes
Wi-Fi	No
Bluetooth	No
Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP,SMTP, SNMP, IGMP, 802.1X, QoS, IPv6
Quality of Service (QoS) support	Yes
Streaming method	Multicast
Live view	Yes
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSDHC, MicroSDXC
Maximum memory card size	256 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Active tampering alarm	Yes
Intelligent Video Surveillance (IVS) system features	Crossing line, Face detection, Human detection, Intrusion, Region entrance detection, Region exiting detection, Vehicle detection
Human and vehicle targets classification	Yes
Management features	
Web-based management	Yes
Power	
Power source type	PoE
AC input voltage	12 V
Power consumption (max)	9 W
Power consumption (Power over Ethernet (PoE))	7.5 W
Power over Ethernet (PoE)	Yes

Operational conditions

Operating temperature (T-T)	-30 - 60 °C
Storage temperature (T-T)	-30 - 60 °C
Operating relative humidity (H-H)	0 - 95%

System requirements

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64
Mac operating systems supported	Yes

Weight & dimensions

Width	386 mm
Depth	155 mm
Height	156 mm
Weight	1.08 kg

Packaging data

Package width	155 mm
Package depth	160 mm
Package height	380 mm
Package weight	1.4 kg

Sustainability

Compliance certificates	CE, RoHS
Sustainability compliance	Yes

Packaging content

Number of cameras	1
Screws included	Yes
Manual	Yes
Resource CD	Yes

Other features

Browser supported	IE 10+, Chrome 57.0+, Firefox 52.0+
-------------------	-------------------------------------

Logistics data

Master (outer) cases per pallet (air)	12 pc(s)
Pallet gross width	120 cm
Pallet height (air)	12.6 m
Master (outer) case width	490 mm

Master (outer) case length	400 mm
----------------------------	--------

Master (outer) case height	460 mm
----------------------------	--------

Master (outer) case gross weight	15 kg
----------------------------------	-------

Products per master (outer) case	9 pc(s)
----------------------------------	---------

Matmenys ir svoris

Svoris	1,42kg
--------	--------