

LevelOne 9dBi 2.4GHz Omni-directional Outdoor Antenna

Gamintojas: **LEVEL ONE** · Modelis: **OAN-2090** · EAN: **4015867148440** · Prekės kodas: **675652**



145,90 €

Kaina su PVM

Be PVM: **120,58 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Omni-directional antenna N-type Black, White
- ✓ 8.5 dBi
- ✓ 2.4 - 2.5 GHz
- ✓ 50 Ω
- ✓ Vertical polarization Female
- ✓ Survival wind speed: 180 km/h

Aprašymas

High-quality antenna with kit

OAN-2090 is an all-inclusive antenna kit for indoor/outdoor applications. It is a great solution to help improve the distance and performance of wireless local area networks (WLANs).

It is durable and reliable, perfectly suited for outdoor deployments in even the most severe weather conditions.

Bundled in the package is LevelOne's ANC-2330. This is a 3-meter N plug to RPSMA plug cable that is included to help with flexible installation. OAN-2090 also includes a surge protector to protect against lightning strikes and a durable mounting kit for secure installation.

- IEEE 802.11 b/g/n application in 2.4GHz Frequency Range
- Surge protector included to avoid lighting damage
- Omni-directional operation provides extended point to multi-point coverage
- Standard N-jack connector
- 3 meter cable, with standard N-Plug and RPSMA- Plug

Techninė specifikacija

Specifications

Sandėlio grupė	Netzwerk-Antennen [+202][-2]
Performance	
Antenna gain level (max)	8.5 dBi
Frequency band	2.4 - 2.5 GHz
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Impedance	50 Ω
Horizontal beam width	360°
Vertical beam width	15°
Features	
Antenna type	Omni-directional antenna
Antenna connector type	N-type
Connector gender	Female
Polarization	Vertical polarization
Voltage Standing Wave Ratio (VSWR)	1.8:1
Product colour	Black, White
Housing material	Glass fibre
Survival wind speed	180 km/h
Purpose	Indoor & outdoor
Operational conditions	
Operating temperature (T-T)	-20 - 65 °C
Storage temperature (T-T)	-30 - 75 °C
Weight & dimensions	
Width	70 mm
Depth	610 mm
Height	53 mm
Weight	345 g
Packaging data	
Package width	89 mm
Package depth	650 mm
Package height	75 mm
Package weight	580 g
Packaging content	
Mounting kit	Yes
Quick installation guide	Yes

Logistics data

Harmonized System (HS) code

85177100