

LevelOne NVR-0411 network video recorder Black, Grey

Gamintojas: **LEVEL ONE** · Modelis: **NVR-0411** · EAN: **4015867236802** · Prekės kodas: **675659**



1 072,89 €

Kaina su PVM

Be PVM: **886,69 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Support 32-channels Recording
- ✓ Supports video resolutions up to 12 megapixels Recording
- ✓ Video compression: H.265, H.264
- ✓ Built-in 16 PoE ports for Camera PoE devices
- ✓ Supports 4k2k HDMI local display
- ✓ Support Facial recognition, up to 16 face picture libraries, with up to 20,000 face pictures in total.
- ✓ USB 2.0 port x 2 USB 3.0 x 1
- ✓ Compatible with 3rd party ONVIF (Profile S/G) and ISAPI-compliant cameras.
- ✓ Compatible with Guarding Vision CMS Central Management software (free version).
- ✓ Supports monitoring multiple NVRs through Guarding Vision, up to 256 channels.



Aprašymas

The LevelOne NVR-0411 NVR enables live view, recording and playback for up to 32 IP network cameras at the same time, featuring up to 12-megapixel resolution and H.265/H.264+/H.264 video compression. Operation is easy and intuitive via the web browser interface (IE), enabling remote monitoring and functionality. Mobile device operations are also supported (iOS/Android), with remote viewing via the LevelOne NVR app. 4 HDD bays complete the package, with a disk capacity of up to 10TB making the LevelOne NVR-0411 a powerful, smart and cost-effective solution for managing your security network.

The Guarding Vision Central Management System(CMS) software is included for free, with no license fees. The Guarding Vision CMS is capable of managing up to 256 channels, making it suitable for large scale surveillance applications.

Techninė specifikacija

Specifications	
Sandėlio grupė	Netzwerkkameras [+927][-46]
Performance	
Video input channels	32 channels
Maximum resolution	4096 x 2160 pixels
Number of simultaneously played channels	256 channels
Supported resolutions	2MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QC
Video motion detection	Yes
Video formats supported	H.264, H.264+, H.265, H.265+
Maximum frame rate	30 fps
Input bandwidth	256 Mbit/s
Output bandwidth	160 Mbit/s
Wireless LAN features	
Wi-Fi	No
Hard drive	
Number of HDDs installed	0
Maximum storage capacity	10 TB
HDD interface	SATA
Number of HDDs supported	4
RAID support	No
Ports & interfaces	
Ethernet LAN (RJ-45) ports	17
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) ports quantity	16
HDMI output	Yes
HDMI ports quantity	1
VGA (D-Sub) output ports	1
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
Audio RCA inputs	1
Audio RCA outputs	1

eSATA ports quantity	1
RS-485 ports	1
RS-232 interface	Yes
eSATA	Yes
RS-232 ports	1
Features	
Rack mounting	Yes
LED indicators	Yes
On/off switch	Yes
Product colour	Black, Grey
Power	
Power consumption (max)	200 W
Power consumption (typical)	20 W
Power over Ethernet (PoE) power per port	16 W
System requirements	
Browser supported	IE11, Chrome V57, Firefox V52, Safari V12, Edge V889
Operational conditions	
Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	5 - 95%
Technical details	
Compliance certificates	BIS, CB, CE, Federal Communications Commission (FCC), Industry Canada (IC), KC, RCM, REACH, RoHS, UKCA, UL, WEEE
Weight & dimensions	
Width	445 mm
Depth	400 mm
Height	75 mm
Weight	5 kg
Package type	Box
Packaging content	
Cables included	AC, SATA
Quick installation guide	Yes