

ICY BOX IB-PS1040-PD Universal Black AC Fast charging Indoor

Gamintojas: **ICY BOX** · Modelis: **IB-PS1040-PD** · EAN: **4250078174509** · Prekės kodas: **676725**



48,90 €

Kaina su PVM

Be PVM: **40,41 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Charger compatibility: Universal
- ✓ Charger type: Indoor
- ✓ Power source type: AC
- ✓ Black Housing material: Polycarbonate (PC)
- ✓ LED indicators
- ✓ Fast charging Over voltage, Overheating, Short circuit
- ✓ 100 - 240 V 50/60 Hz 100 W Maximum output voltage: 20 V



Aprašymas

ICY BOX IB-PS1040-PD, 4Port 100W GaN Ladegerät mit PD 3.0, 3x USB Type-C®, 1x USB Type-A Anschluss, EU Stecker. Aufladetyp: Drinnen, Energiequelle: AC, Aufladekompatibilität: Universal. Eingangsspannung: 100 - 240 V, Maximale Ausgangsspannung: 20 V. Anzahl USB 2.0 Anschlüsse: 1, USB Typ-C Anzahl Anschlüsse: 3, Schnellladung, Energieschutzeigenschaften: Überspannung, Überhitzung, Kurzschluß. Produktfarbe: Schwarz

Techninė specifikacija

Specifications

Sandėlio grupė

Tablets & Smartphones [+3621][-199] | Smartphone Zubehör [+2000][-87]

Performance	
Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
Number of simultaneously connected devices (max)	4
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB Type-C ports quantity	3
Wireless charging	No
Fast charging	Yes
Fast charging technology	Adaptive Fast Charging, FlashCharge, Power Delivery 2.0, Power Delivery 3.0, Quick Charge 2.0, Quick Charge 3.0
Programmable power supply (PPS)	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
Power protection features	Over voltage, Overheating, Short circuit
Design	
Product colour	Black
Housing material	Polycarbonate (PC)
LED indicators	Yes
Plug and Play	Yes
Gallium nitride (GaN) transistors	Yes
Power	
Input voltage	100 - 240 V
Input frequency	50/60 Hz
Input current	2. A
Maximum power	100 W
Maximum output voltage	20 V
Minimum output voltage	5 V
Port 1 output power	100 W
Port 2 output power	100 W
Port 3 output power	20 W
Port 4 output power	18 W
Output current (5V)	3 A

Port 1 output current	5 A
Port 2 output current	5 A
Port 3 output current	3 A
Port 4 output current	3 A
Weight & dimensions	
Width	30 mm
Depth	60 mm
Height	100 mm
Weight	195 g
Packaging data	
Package width	150 mm
Package depth	90 mm
Package height	40 mm
Package weight	257 g
Packaging content	
Quantity per pack	1 pc(s)
Manual	Yes
Logistics data	
Harmonized System (HS) code	85044095
Products per master (outer) case	40 pc(s)
Country of origin	China
Matmenys ir svoris	
Svoris	0,24kg