

TP-Link InSight S345S Bullet IP security camera Outdoor 2688 x 1520 pixels Ceiling/Wall/Pole

Gamintojas: **TP-LINK** · Modelis: **InSight S345S** · EAN: **8885020625608** · Prekės kodas: **677733**



554,91 €

Kaina su PVM

Be PVM: **458,60 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AI-ISP Powered Ultra Low-Light Color Night Vision
- ✓ 4MP Super-High Definition
- ✓ People & Vehicle Analytics
- ✓ Human & Vehicle Classification
- ✓ Smart Detection
- ✓ Two-Way Audio
- ✓ Smart Video Enhancement Technology
- ✓ Flexible Alarm In/Out Devices Integration
- ✓ IP67 Weatherproof
- ✓ H.265+ Compression Technology



Aprašymas

See True Colors and Details in the Dark

Unveiling every detail in the dark, experiencing clarity and color as vivid as daylight — no extra fill lights needed.

Worry-Free Night Surveillance: Beyond IR & Full-Color

Eliminates general night vision issues like dark corners, glare, and color loss — enjoy worry-free nighttime monitoring.

See Vividly — Even No Extra Fill Lights Needed

Enables full-color imaging in low-light conditions without fill-in lighting, reducing both energy consumption and insect-triggered false alarms for a

more eco-friendly solution.

People or Vehicle Triggered Intelligent IR-White Lights Reveal More in Total Darkness

In complete darkness with zero illumination, VIGI's intelligent infrared-white lights will automatically activate white lights upon detecting people or vehicles, delivering vivid color imaging while deterring intruders.

VIGI AI Detection Technology

People & Vehicle Analytics: Search and filter to people or vehicle of interest based on many different attributes, like hair length, upper body color, vehicle type, making post-event search faster and easier.

Human & Vehicle Classification: Distinguish humans and vehicles from other objects, such as moving animals, falling leaves, changing lights, and receive more accurate event notifications.

Smart Video Enhancement Technology

True WDR: By analyzing and blending different exposures, True WDR ensures both bright and dark areas remain properly exposed, delivering a well-balanced and natural-looking image even in environments with high-contrast lighting.

Smart IR: Smart IR dynamically adjusts infrared lighting to prevent overexposure and glare, improve visibility at different distances, and ensure clearer footage.

3D DNR: 3D DNR is a noise reduction technology that analyzes image data across frames to selectively reduce noise while preserving important details.

White Balance: White Balance ensures that white appears neutral in an image, regardless of the lighting conditions.

Efficient H.265+ Compression Technology

H.265+ reduces the required bandwidth and storage space for videos while maintaining excellent image quality. It saves 57.5% and 15% more storage space compared to H.264 and H.265, respectively.

Techninė specifikacija

Specifications	
Sandėlio grupė	Netzwerkkameras [+927][-46]
Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired
Wide Dynamic Range (WDR)	Yes
Infrared (IR) cut-off filter	Yes
Alarm input/output	Yes
Dynamic range	120 dB
Design	
Mounting type	Ceiling/Wall/Pole
Product colour	White

Form factor	Bullet
Housing material	Metal
International Protection (IP) code	IP67
Camera	
Minimum illumination	0.0005 lx
Angle of rotation	360°
Lens viewing angle, horizontal	95°
Lens viewing angle, vertical	51°
Lens viewing angle, diagonal	115°
Tilt angle range	0 - 75°
Pan range	0 - 360°
Camera shutter speed	1/3 - 1/10000 s
Image sensor	
Sensor type	CMOS
Optical sensor size	25.4 / 1.79 mm (1 / 1.79")
Progressive scan	Yes
Lens system	
Number of lenses	1
Detect distance	76 m
Observe distance	29 m
Recognize distance	14 m
Maximum aperture number	1
Identify distance	7 m
Fixed focal length	4 mm
Night vision	
Night vision	Yes
Night vision distance	30 m
LED type	IR/White
Number of illumination LEDs	2
Infra-red wavelength	850 nm
Video	
Maximum resolution	2688 x 1520 pixels
Total megapixels	4 MP
Video compression formats	H.264, H.264+, H.265, H.265+

Supported graphics resolutions	320 x 240, 352 x 288, 640 x 360, 640 x 480 (VGA), 704 x 576, 848 x 480, 1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2560 x 1440, 2688 x 1520
Video streaming	Yes
Noise reduction	Yes
Noise reduction technology	3D noise reduction
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)
Bit rate	Main Stream: 256 Kbps - 6 Mbps; Sub-Stream: 64 Kbps - 1024 Kbps
Back Light Compensation (BLC)	Yes
Highlight Compensation (HLC)	Yes
Region of Interest (ROI) encoding	Yes
Smart IR	Yes
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Signal-to-Noise Ratio (SNR)	52 dB
Built-in microphone	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	No
Bluetooth	No
Ethernet interface type	Fast Ethernet
Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP UDP, SSL/TLS, FTP/SFTP, RTP, IPv4, IPv6, ARP, SMTP, SNMP, RTMP
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Alarm input channels	1
Alarm output channels	1
Password protection	Yes

Video motion detection	Yes
Active tampering alarm	Yes
IP address filtering	Yes
HTTPS encryption	Yes
Intelligent Video Surveillance (IVS) system features	Abandoned object, Abnormal sound detection, Human detection, Intrusion, Line crossing detection, Region entrance detection, Region exiting detection, Scene change, Vehicle detection
Digest authentication	Yes
Management features	
Cloud-managed	Yes
Web browser	Yes
Power	
Power source type	DC, PoE
DC output voltage	12
Operational conditions	
Operating temperature (T-T)	-30 - 60 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Weight & dimensions	
Diameter	6.6 cm
Length	191 mm
Weight	600 g
Sustainability	
Compliance certificates	BSMI, CE, Federal Communications Commission (FCC), Industry Canada (IC), KC, VCCI
Packaging content	
Number of cameras	1
Mounting kit	Yes
Manual	Yes