

TP-Link BE3600 Network transmitter & receiver White 2500 Mbit/s

Gamintojas: **TP-LINK** · Modelis: **RE235BE** · EAN: **1210002601443** · Prekės kodas: **677739**



102,90 €

Kaina su PVM

Be PVM: **85,04 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Lightning-Fast 3.6 Gbps Dual-Band Wi-Fi 7:
- ✓ Multi-Link Operation (MLO)
- ✓ 2.5G Multi-Gigabit Ethernet Port
- ✓ Smart Roaming
- ✓ EasyMesh-Compatible
- ✓ Easy Setup
- ✓ Great Compatibility



Aprašymas

Lightning-Fast 3.6 Gbps Dual-Band Wi-Fi 7: 2882 Mbps (5 GHz) + 688 Mbps (2.4 GHz).

Multi-Link Operation (MLO): Increases throughput, reduces latency, and improves reliability for emerging applications.

2.5G Multi-Gigabit Ethernet Port: 1× 2.5 Gbps port ensures max flexibility and boosted throughput.

Smart Roaming: Walk from room to room and stay connected with the fastest possible speeds.

EasyMesh-Compatible: Works with EasyMesh routers and range extenders to form seamless whole home Mesh Wi-Fi, preventing drops and lag when moving between signals.

Easy Setup: Plug in and then easily set up via a press of the WPS button or via the Tether App.

Great Compatibility: Works with all Wi-Fi generations and devices and all internet providers.

Techninė specifikacija

Specifications

Sandėlio grupė	WLAN Repeater [+54][-2]
----------------	-------------------------

Performance

Type	Network transmitter & receiver
Data transfer rate	2882 Mbit/s
Ethernet LAN data rates	2500 Mbit/s
WPS push button	Yes
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Mac operating systems supported	MacOS
Linux operating systems supported	Yes
Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser

Antenna

Antennas quantity	2
Antenna type	External
Transmitting power (FCC)	30 dBm

Network

Wi-Fi	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be)
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Bandwidth	0.32 GHz
Security algorithms	WPA, WPA2-PSK, WPA3

Ports & interfaces

Ethernet LAN (RJ-45) ports	1
----------------------------	---

Design

Product colour	White
Quantity per pack	1 pc(s)
Reset button	Yes

Power

AC input voltage	100-240 V
AC input frequency	50/60 Hz
Input current	0.3 A
Power consumption (typical)	15 W

Power plug type	Type B
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	97 mm
Depth	46 mm
Height	158 mm
Packaging content	
Quick start guide	Yes
Packaging data	
Package type	Box
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS, UKCA
Features	
Networking features	Multi-Link Operation (MLO), 320 MHz Channel, 4K-QAM, Multi-RUs
Matmenys ir svoris	
Matmenys (I × P × A)	12,00cm × 10,00cm × 20,00cm
Svoris	0,52kg