

ICY BOX IB-HUB1701-C3 USB 3.2 Gen 1 (3.1 Gen 1) Type-B 5000 Mbit/s Anthracite

Gamintojas: **ICY BOX** · Modelis: **IB-HUB1701-C3** · EAN: **4250078171744** · Prekės kodas: **678511**



64,90 €

Kaina su PVM

Be PVM: **53,64 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **ROBUSTLY CONSTRUCTED:** A special aluminium alloy makes this ICY BOX USB hub particularly high-quality, robust and shock-resistant. This means it is well protected against external damage even in harsh environments
- ✓ **ENERGY EFFICIENT:** Each individual USB port has its own on/off switch to disconnect peripheral devices. This way, no more power is consumed than absolutely necessary
- ✓ **HIGH SPEED:** The USB 3.0 ports support a data transfer rate of up to 5 Gbps. This means that files of any kind are transferred to other devices quickly and stably
- ✓ **CHARGING FUNCTION:** All USB ports support the BC 1.2 charging specification (charging strength up to 5V/2.1A) through the included power supply unit. This means that mobile devices can be charged even without a host computer
- ✓ **PLUG & PLAY:** Due to the independent device setup of the operating system, no driver is necessary. The hub only needs to be connected to the computer and peripheral devices can be connected



Aprašymas

Save sevenfold

All ports can be switched on and off individually by switch during operation without affecting the function of the other ports. This can save a considerable amount of energy in the long run.

Sevenfold power

The IB-HUB1701-C3 not only offers 7 additional USB Type-A ports for connecting various devices and external hard drives, for example, it also provides the BC 1.2 charging standard via each individual port. This means that small mobile devices can also be charged.

A becomes C

With the practical new 1-metre USB cable, you can now also dock with computers that only have a USB Type-C® interface. The small USB Type-A to Type-C® adapter on the cable makes it possible and expands your possibilities.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB Hubs [+728][[-6]
Ports & interfaces	
Ports quantity	7
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-B
Hub interfaces	USB 3.2 Gen 1 (3.1 Gen 1) Type-A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	7
DC-in jack	Yes
Features	
Data transfer rate	5000 Mbit/s
Product colour	Anthracite
Housing material	Aluminium
LED indicators	Power
Plug and Play	Yes
Country of origin	China
Power	
Power supply type	AC
Input voltage	100 - 240 V
Input current	1.5 A
AC input frequency	50 - 60 Hz
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Weight & dimensions	
Width	60 mm
Depth	194 mm

Height	21 mm
Weight	209 g
Packaging data	
Package width	100 mm
Package depth	100 mm
Package height	230 mm
Package weight	670 g
Packaging content	
Interface adapters included	USB Type-C male - USB Type-A female
AC adapter included	Yes
Cables included	USB Type-A to USB Type-B
Manual	Yes
Logistics data	
Master (outer) case width	240 mm
Master (outer) case length	525 mm
Master (outer) case height	235 mm
Master (outer) case gross weight	6.7 kg
Products per master (outer) case	10 pc(s)
Harmonized System (HS) code	84718000
Matmenys ir svoris	
Svoris	0,61kg