

Equip 2 in 1 USB-C + A to RJ45 Gigabit Ethernet Cable, 2.0m

Gamintojas: **EQUIP** · Modelis: **133102** · EAN: **4015867244128** · Prekės kodas: **679774**



24,90 €

Kaina su PVM

Be PVM: **20,58 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connector type: USB-C/ USB-A male to RJ45 male.
- ✓ Fast transmission rate of up to 1 Gbit/s (Gigabit Ethernet)
- ✓ Wide compatible with Multiple devices work has USB-A and USB-C port.
- ✓ Shielding for error-free data transfer
- ✓ Aluminum housing
- ✓ Plug-and-play: No drivers needed for instant use



Aprašymas

The 2-in-1 USB-C + USB-A to RJ45 Gigabit Ethernet Cable provides a convenient and reliable solution for adding wired network connectivity to a wide range of devices. Designed with both USB-C and USB-A connectors, this versatile cable allows easy connection to modern laptops, tablets, and legacy computers without requiring additional adapters.

Equipped with a Gigabit Ethernet RJ45 port, it delivers stable wired network speeds up to 1000 Mbps, making it ideal for environments where reliable connectivity is essential, such as offices, home workstations, online meetings, streaming, and large file transfers. A wired connection can significantly reduce latency and improve network stability compared to wireless connections.

The compact cable design offers a plug-and-play installation, eliminating the need for complicated setup or external power. Simply connect the cable to your device to instantly enable high-speed Ethernet access.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB Hubs [+728][-6]
Features	
Cable length	2 m
Connector 1	RJ-45
Connector 2	USB Type-A/USB Type-C
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Jacket material	Polyvinyl chloride (PVC)
Cabling technology	10/100/1000Base-T(X)
Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Networking standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x, IEEE 802.3az, IEEE 802.1p, IEEE 802.1Q
Data transfer rate	1000 Mbit/s
Plug and Play	Yes
Country of origin	China
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Certificates	
Compliance certificates	CE, RoHS
Weight & dimensions	
Width	67 mm
Depth	10 mm
Height	2000 mm
Weight	60 g
Packaging data	
Package width	175 mm
Package depth	275 mm
Package height	10 mm
Package weight	67 g

Other features

Compatible operating systems	Windows 7/8/10/11, MacOS 10.6+, Chrome OS, Android 10+, Linux
------------------------------	---

Logistics data

Customs product code (TARIC)	8544421000
------------------------------	------------

Master (outer) case width	400 mm
---------------------------	--------

Master (outer) case length	300 mm
----------------------------	--------

Master (outer) case gross weight	10.8 kg
----------------------------------	---------

Master (outer) case height	300 mm
----------------------------	--------

Products per master (outer) case	150 pc(s)
----------------------------------	-----------