

LogiLink USB 3.0 hub, 4x USB-A, 5 Gbit/s, 2-in-1 connection cable, silver

Gamintojas: **LOGILINK** · Modelis: **UA0455** · EAN: **4052792077100** · Prekės kodas: **680135**



14,90 €

Kaina su PVM

Be PVM: **12,31 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-A + Type-C
- ✓ Hub interfaces: USB 3.2 Gen 1 (3.1 Gen 1) Type-A
- ✓ Ports quantity: 4
- ✓ 5000 Mbit/s
- ✓ Aluminium Aluminium



Aprašymas

This compact and portable hub expands your USB-C or Thunderbolt 3/4 laptop, smartphone or tablet with four additional USB ports. It is compliant with USB 3.0 specifications and offers a data transfer rate of up to 5 Gbit/s. Thanks to the innovative 2-in-1 cable, you can connect both USB-C and USB-A devices. All four USB-A ports can be operated simultaneously, allowing for flexible use.

Techninė specifikacija

Specifications

Sandėlio grupė

USB Hubs [+728][-6]

Ports & interfaces

Ports quantity	4
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-A + Type-C
Hub interfaces	USB 3.2 Gen 1 (3.1 Gen 1) Type-A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4

Features

Data transfer rate	5000 Mbit/s
Product colour	Aluminium
Housing material	Aluminium
Overload protection	Yes
Overcurrent protection	Yes
Cable length	0.15 m
Plug and Play	Yes
Country of origin	China

Power

Power supply type	USB
Power consumption (max)	4.5 W
Input voltage	5 V
Input current	0.9 A

System requirements

Windows operating systems supported	Yes
Mac operating systems supported	MacOS
Linux operating systems supported	Yes
Other operating systems supported	Android, ChromeOS, iOS, iPadOS

Weight & dimensions

Width	80 mm
Depth	23 mm
Height	16.5 mm
Weight	39.5 g

Packaging data

Package width	75 mm
Package depth	25 mm
Package height	138 mm
Package weight	61 g

Packaging content

Manual	Yes
--------	-----

Operational conditions

Operating temperature (T-T)	0 - 45 °C
-----------------------------	-----------

Storage temperature (T-T)	20 - 90 °C
---------------------------	------------

Technical details

Compliance certificates	CE, UKCA
-------------------------	----------

Matmenys ir svoris

Svoris	0,06kg
--------	--------