

ATEN 8X4 USB 3.1 Switch With PSU

Gamintojas: **ATEN** · Modelis: **US3384i** · EAN: **4710469349492** · Prekės kodas: **680437**



287,90 €

Kaina su PVM

Be PVM: 237,93 €

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Allows sharing of up to 4 USB 3.2 devices among 8 PCs
- ✓ Versatile port selection methods – front panel pushbutton, RS-232/RS-485 serial commands, and external remote port selector
- ✓ Power on Detection – Automatically switches the PC focus to the last plugged-in/power-on host device
- ✓ Supports DC 9 – 24V power input through terminal block



Aprašymas

Driven by the shift to hybrid and remote work, the US3384i is designed to elevate your BYOM/BYOD meeting experience with ease. Meeting room setups are straightforward and effortless, thanks to its plug-and-play design that allows connections to up to 8 PCs/laptops and sharing of up to 4 USB 3.2 Gen 1 devices in no time. With blazing-fast data transmission, cross-platform compatibility (e.g. Windows, macOS, Linux), and flexible port-switching, the USB sharing switch further streamlines meeting workflows, enhances collaboration, and reduces the overhead of IT procurement and management for workplaces.

Seamless Integration into Control System

The USB sharing switch can be seamlessly integrated into a control system (e.g. ATEN Control System – VK1100A, VK211) as part of the meeting room setup via its serial connectivity, with the control system serving as a centralized platform to streamline AV/IT management and simplify maintenance.

Power-On Detection to Switch Control

The USB switch will shift the PC focus to the most recently connected host device, with the corresponding port LED illuminated to indicate which

active port has control over the resources.

Note: Long press the pushbutton to turn on/off the Power-On Detection feature.

Up to 5 Gbps Data Transfer Rate with USB 3.2 Gen 1

To maintain an efficient meeting flow, take advantage of the superior 5 Gbps data transfer speed of the built-in USB 3.2 Gen 1 ports, which are also backward compatible with USB 2.0/1.1 devices.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Network > Switches [+2183][-1086]
Ports & interfaces	
Number of computers controlled	8
Keyboard port type	USB
Mouse port type	USB
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	8
USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity	4
Serial ports quantity	2
DC-in jack	Yes
Design	
Product colour	Black
Housing material	Metal
LED indicators	Yes
Display	
Built-in display	No
Power	
Power source	DC
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Weight & dimensions	
Width	80.6 mm
Depth	200 mm
Height	25 mm
Weight	500 g

Packaging content

Manual

Yes