

Epson EB-L210SF Short throw projector 4000 ANSI lumens 3LCD 3D White

Gamintojas: **EPSON** · Modelis: **V11HA75080** · EAN: **8715946715674** · Prekės kodas: **681758**



2 020,91 €

Kaina su PVM

Be PVM: **1 670,17 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scalable, portable FHD display 55-125" ST display for unrestricted viewing without reflections
- ✓ Effortless connectivity options Auto-on, wired / wireless display with USB 2A output for smart sticks
- ✓ Bright and energy efficient laser 4,000lm CLO with 3LCD technology for brighter colours at only 201W
- ✓ Document camera compatibility Create and record a live, totally immersive lesson or presentation



Aprašymas

Versatile laser projector combined 3LCD technology is ideal for delivering high quality Full HD content in meeting rooms and classrooms.

The EB-L210SF delivers quality images and a host of features as standard to give users more for their money, producing a bright and vibrant Full HD image up to 125". Its compact and light weight design makes this a perfect mobile display solution for meetings, or it can be wall or ceiling mounted for a permanent solution, freeing up workspace.

The EB-L210SF's short throw lens allows close positioning of the projector to the display, ideal for small rooms and reducing the risk of shadows cast onto the display

Unlike some other brand projectors, EB-L210SF features 3LCD technology, enabling 4,000 lumens for a bright and vibrant display. The experience is immersive and user-friendly.

Scalable from 55-125", display sizes can be optimised for each room with one product and a fixed cost, and it supports multi-projection edge-blending for a low cost, large, seamless, energy efficient 3780x1080p image.

With up-to 30,000 hour long-life laser-light source, it produces a large display up-to 125", clearly visible from all angles and at a distance, and unlike a flat-panel display, the EB-L210SF can be portable, and there is no glass flat panel to create disruptive, reflected blind spots at certain angles.

Versatile wired and wireless connectivity options, including Miracast™ screen mirroring, ensures effortless, multi-device content sharing, and with a connected optional Epson visualiser, documents, presentations or 3D objects can be projected in incredible detail to the whole room. With USB 2A power output, HDMI streaming sticks can also be connected to open further possibilities.

Techninė specifikacija

Specifications	
Sandėlio grupė	Entertainment Electronics > Projektors/Beamers [+467][[-289]
Projector	
Projector brightness	4000 ANSI lumens
Projection technology	3LCD
Native aspect ratio	16:9
Smart projector	No
Screen size compatibility	1397 - 3175 mm (55 - 125")
Contrast ratio (dynamic)	2500000:1
Number of colours	1.07 billion colours
Keystone correction, horizontal	-15 - 15°
Keystone correction, vertical	-15 - 15°
Matrix size	1.57 cm (0.62")
White light output	4000 ANSI lumens
Colour light output	4000 ANSI lumens
Heat dissipation	884 BTU/h
Light source	
Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focus	Manual
Zoom capability	Yes
Zoom ratio	1.35:1

Throw ratio	0.45 - 0.61:1
Video	
Full HD	Yes
3D	Yes
Supported video modes	1080p
Video colour modes	Blackboard, Cinema, DICOM simulation mode, Dynamic, Multi-projection, Presentation, sRGB
Ports & interfaces	
VGA (D-Sub) ports quantity	3
HDMI ports quantity	2
DVI port	No
Audio (L/R) in	1
Serial interface type	RS-232C
USB 2.0 ports quantity	2
Audio (L/R) out	1
Microphone in	Yes
DC-in jack	Yes
Consumer Electronics Control (CEC) support	Yes
Network	
Smart TV	No
Ethernet LAN	Yes
Wi-Fi	Yes
Ethernet LAN (RJ-45) ports	1
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Miracast	Yes
Storage	
Card reader integrated	No
Features	
Noise level	37 dB
Interactive	No
Noise level (economic mode)	27 dB
On Screen Display (OSD)	Yes
Screen mirroring	Yes
Auto signal detection	Yes
Country of origin	Philippines

Password protection	Yes
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	16 W
Design	
Product type	Short throw projector
Market positioning	Portable
Product colour	White
Placement	Ceiling, Desktop, Wall
Cable lock slot	Yes
Cable lock slot type	Kensington
Display	
Built-in display	No
Colour depth	10 bit
Power	
Power source	AC
Power consumption (typical)	201 W
Power consumption (standby)	0.5 W
Power consumption (economy mode)	191 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Cord length	1.8 m
Operational conditions	
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Weight	4.6 kg
Width	325 mm
Depth	337 mm
Height	90 mm
Packaging content	
Remote control included	Yes
Cables included	AC, HDMI

Quick start guide	Yes
Manual	Yes
Bundled software	EasyMP Multi PC Projection, Epson Projector Content Manager, Epson Projector Management

Other features

Supported network protocols	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink
-----------------------------	---

Matmenys ir svoris

Matmenys (I × P × A)	37,00cm × 36,00cm × 11,00cm
Svoris	5,50kg