



Switch UBIQUITI USW-LITE-16- POE Type L2 16x10Base-T 100Base-TX 1000Base-T PoE+ ports 8 45 Watts USW-LITE- 16-POE

Modelis: USW-LITE-16-POE

Gamintojas: UBIQUITI

EAN: 810010071163

Prekės kodas: 68199

202.99€

The UniFi Switch Lite 16 PoE is a fully managed Layer 2 switch with sixteen Gigabit Ethernet ports for your RJ45 Ethernet devices. Eight ports also offer auto-sensing 802.3at PoE+ that provide up to a total PoE wattage of 45W for UniFi Access Points or other PoE devices.

Managed and configured by the UniFi Network Controller with UniFi mobile app support, the UniFi Switch Lite 16 PoE offers Layer 2 switching protocols and features. The UniFi Network Controller and

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

mobile app allow admins to configure and monitor virtually all of the switch features in a graphical user interface from anywhere./

The UniFi Switch Lite 16 PoE is a fully managed Layer 2 switch with sixteen Gigabit Ethernet ports for your RJ45 Ethernet devices. Eight ports also offer auto-sensing 802.3at PoE+ that provide up to a total PoE wattage of 45W for UniFi Access Points or other PoE devices.

Managed and configured by the UniFi Network Controller with UniFi mobile app support, the UniFi Switch Lite 16 PoE offers Layer 2 switching protocols and features. The UniFi Network Controller and mobile app allow admins to configure and monitor virtually all of the switch features in a graphical user interface from anywhere.

- (16) Gigabit RJ45 ports including (8) 802.3at PoE+
- Managed by UniFi Controller
- 60W power supply
- Wall-mountable (Kit included)

Long Description: Ubiquiti UniFi Switch Lite 16 PoE. Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 16.

Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at. Power connector: AC-in jack. Power over Ethernet (PoE). Wall mountable | Vendor Homepage:

<https://store.ui.com/collections/unifi-network-routing-switching/products/usw-lite-16-poe> | Summary:

Ubiquiti UniFi Switch Lite 16 PoE. Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 16. Switching capacity: 16

Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at. Power connector: AC-in jack. Power over

Ethernet (PoE). Wall mountable | Switch layer: L2 | Basic switching RJ-45 Ethernet ports quantity: 16 |

Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Power connector: AC-in

jack | 10G support: No | Networking standards: IEEE 802.3af/IEEE 802.3at | Switching capacity: 16 |

LED indicators: Network/PoE/System | Product colour: White | Wall mountable: Yes | AC input voltage:

100 - 240 | Number of power supply units: 1 | Power consumption (max): 15 | Power supply included:

Yes | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 8 | Power over

Ethernet (PoE) power per port: 30 | Operating relative humidity (H-H): 10 - 90 | Operating

temperature (T-T): -15 - 40 | Depth: 185 | Height: 43.7 | Weight: 1200 | Width: 191.7 | Certification:

CE, FCC, IC | Harmonized System (HS) code: 85176990 | Bullet Points:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- (16) Gigabit RJ45 ports including (8) 802.3at PoE+
- Managed by UniFi Controller
- 60W power supply
- Wall-mountable (Kit included)

| Model name: USW-LITE-16-POE | Units per Shipping Box: 8 | Unit Calculated Volume: 0.007 | Unit Calculated Weight: 1.4625

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903