

Aerocool Cronus Midi Tower Black

Gamintojas: **AEROCOOL** · Modelis: **ACCM-PB23013.11** · EAN: **4710562758931** · Prekės kodas: **682981**



123,90 €

Kaina su PVM

Be PVM: **102,40 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Comes equipped with one 14cm ARGB fan in the rear of the case
- ✓ Includes a GPU bracket that keeps your graphics card stable and prevents it from sagging
- ✓ Full tempered glass side panel to showcase the inside of your rig
- ✓ Six rubber cable grommets and two cable passthrough tubes allows for efficient cable management
- ✓ Supports liquid cooling in the front, top, and rear of the case



Aprašymas

Wide and sturdy chassis design supports E-ATX motherboards for maximum performance and three additional expansion slots for vertical graphics card installation. Designed by ThunderX3, this high-performance mid tower case features an X-shaped RGB LED front panel design to add a stylish flair to your rig.

Access 16.8 million colors using compatible ARGB motherboards including ASUS Aura Sync, MSI Mystic Light Sync, and Gigabyte RGB Fusion. Addressable RGB can be controlled using any of two ways: LED control button or ARGB motherboard.

WIDE AND STURDY CHASSIS DESIGN

Featuring a chassis design focused on delivering increased interior space, you now have more freedom and possibilities to customize your PC how you want.

With more room for your graphics card, coolers and fans, and even your motherboard, the Cronus will allow you to fully maximize the performance of your PC build.

DESIGNED FOR OPTIMAL GRAPHICS CARD INSTALLATION

Built with three additional vertical expansion slots, allowing you to install your graphics card at a vertical position.

Includes a GPU bracket that keeps your graphics card stable and secure while preventing it from sagging.

ADDRESSABLE RGB COMPATIBLE

Access 16.8 million colors using compatible ARGB motherboards including ASUS Aura Sync, MSI Mystic Light Sync, and Gigabyte RGB Fusion (with 5V 3-Pin ARGB header).

Addressable RGB can be controlled using any of two ways: LED control button or ARGB motherboard.

6-PORT RGB CONTROL HUB

Features a 6-port hub with PWM control functions and allows you to connect up to six 6-Pin AeroCool Addressable RGB fans and up to two 3-Pin Addressable RGB accessories with +5V ARGB connector.

Motherboard connector supports Addressable RGB motherboards (Asus Aura Sync, MSI Mystic Light Sync, and Gigabyte RGB Fusion).

PWM COMPATIBILITY

Please check if the 4-Pin fan header on your motherboard is PWM compatible.

- PWM based – PWM compatible
- Voltage based – not PWM compatible

ONE 14CM ADDRESSABLE RGB FAN INCLUDED

Comes equipped with one 14cm Addressable RGB fan in the rear of the case to add a stylish flair to your rig.

ARGB fan can be controlled using LED control button or ARGB motherboard.

STYLISH RGB FRONT PANEL DESIGN

Featuring a X-shaped RGB LED front panel design, this case delivers a dynamic yet powerful look and feel to your gaming setup.

Bring your case to life with preset lighting modes that can be readily controlled via LED control button.

E-ATX MOTHERBOARD SUPPORT

With support for E-ATX motherboards, this mid tower case is built for maximum performance.

BUILT FOR HIGH PERFORMANCE

- Supports E-ATX, ATX, Micro-ATX, and Mini-ITX motherboards
- Supports CPU coolers up to 180mm
- Supports high-end graphics cards up to 387mm (without front radiator)

EFFICIENT CABLE MANAGEMENT

Comes equipped with six rubber cable grommets and two cable passthrough tubes (includes two additional tubes) on the motherboard tray to keep your cables neat, tidy, and secure.

FULL TEMPERED GLASS SIDE PANEL

Comes equipped with a full tempered glass side panel to showcase the inside of your rig while putting your components on full display.

IMPROVED AIR VENTILATION

Air vents in the front panel increase air flow and ventilation to keep your system cool.

AIR COOLING

Supports air cooling in the front, top and rear of the case to enhance cooling performance

- Front: 120mm x 3 or 140mm x 2 (Max.)
- Top: 120mm x 2 or 140mm x 2 (Max.)
- Rear: 120mm x 1 or 140mm x 1 (140mm ARGB fan x 1 included)

LIQUID COOLING

Supports liquid cooling in the front, top, and rear of the case for maximum efficiency cooling.

- Front: 120/240mm Radiator (Optional)
- Top: 120/240mm Radiator (Optional)
- Rear: 120mm Radiator (Optional)

CONVENIENT ACCESS TO YOUR MEDIA

Quick and easy access to LED control button, 2 x USB 3.0, HD audio and mic ports, and power & reset button.

STORAGE CAPABILITY

Supports up to 3 x 3.5" HDDs (2 x 3.5" and 1 x 3.5"/2.5") and 5 x 2.5" SSDs (4 x 2.5" and 1 x 2.5"/3.5").

EASY MAINTENANCE

Comes equipped with removable dust filters for convenient cleaning and maintenance.

Techninė specifikacija

Specifications	
Sandėlio grupė	Peripherals & Desktop > Workstation Casings [+1535][-511]
Design	
Form factor	Midi Tower
Type	PC
Product colour	Black
Supported motherboard form factors	ATX, EATX, micro ATX, Mini-ITX
Number of 3.5" bays	3
Material	Acrylonitrile butadiene styrene (ABS), SPCC
Number of 2.5" bays	5
Number of expansion slots	10
Side window	Yes
Suitable for	Gaming
Illumination	Yes
Illumination colour	Blue, Green, Red
Tempered glass panel(s)	Yes

Cable management	Yes
Maximum CPU cooler height	18 cm
Maximum graphics card length	38.7 cm
Power supply	
Power supply included	No
Supported power supply form factors	ATX
Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
Audio input	Yes
Audio output	Yes
Cooling	
Number of front fans supported (max)	3
Front fans diameters supported	120,140 mm
Rear fans installed	1x 140 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120,140 mm
Number of top fans supported (max)	2
Top fans diameters supported	120,140 mm
Liquid cooling capability	Yes
Front radiator sizes supported	120,240 mm
Rear radiator sizes supported	120 mm
Top radiator sizes supported	120,240 mm
Storage	
Supported HDD sizes	2.5,3.5"
Weight & dimensions	
Width	230 mm
Depth	390 mm
Height	470 mm
Material thickness	0.7 mm
Logistics data	
Harmonized System (HS) code	84733080