



**Switch DAHUA
PFS3110-
8ET1GT1GF-96
Desktop/pedestal
8x10Base-T
100Base-TX
1x10Base-T
100Base-TX
1000Base-T
2x1000Base-T
PoE ports 8 96
Watts DH-
PFS3110-
8ET1GT1GF-96**

Modelis: DH-PFS3110-8ET1GT1GF-96

Gamintojas: DAHUA

EAN: 6923172540690

Prekės kodas: 68315

83.99€

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Intelligent PoEP

Provides power consumption control and real-time monitoring to guarantee priority of power supply for important ports and prevent malfunctioning caused by power consumption change. Supports ultrawide power supply, able to adapt to IPC power fluctuation.

Red Port 90 W

The red ports support IEEE802.3af, IEEE802.3at, IEEE802.3bt and Hi-PoE standards, with a maximum output power consumption of 90W per port. Suitable for powering high-power devices.

PoE Watchdog

Adopts the innovative PoE Watchdog. PoE Watchdog can be switched on by dialing/turning on the WEB page switch. It enables the switch to automatically detect port status and restart the failed ports to recover connection in case of IPC connection exception. This enables intelligent operation and maintenance management in its true sense and effectively reduces manual maintenance costs.

Long Distance PoEB

By dialing or enabling long-range transmission on the WEB interface, the transmission distance of a PoE port can be up to 250 m, meeting the requirement of wired transmission (bandwidth reduced to 10 Mbps).

- 100 Mbps PoE ports and gigabit uplink ports
- The red port meets the IEEE 802.3bt standard
- Power supply supports up to 90 W
- PoE watchdog monitors the status of terminals in real-time
- Supports 250 m long-distance power supply
- Supports the power management policy
- 8-pin PoE offers better compatibility and reduces cable loss
- Durable full-metal housing provides great heat dissipation

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Summary: Dahua Technology PoE PFS3110-8ET1GT1GF-96. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. MAC address table: 8000 entries, Switching capacity: 5.6 Gbit/s. Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x. DC input voltage: 53 V. Power over Ethernet (PoE) | Vendor Homepage: <https://www.dahuasecurity.com/search/products?keyword=DH-PFS3110-8ET1GT1GF-96> | Switch type: Unmanaged | Basic switching RJ-45 Ethernet ports quantity: 8 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | SFP module slots quantity: 1 | 10G support: No | Networking standards: IEEE 802.3/IEEE 802.3ab/IEEE 802.3af/IEEE 802.3at/IEEE 802.3bt/IEEE 802.3u/IEEE 802.3x | Forwarding rate: 4.17 | Jumbo frames: 9000 | Jumbo frames support: Yes | MAC address table: 8000 | Packet buffer memory: 0.5 | Switching capacity: 5.6 | Housing material: Metal | Product colour: Black | DC input voltage: 53 | Input current: 1.81 | Power consumption (max): 96 | Power source: DC | Power supply included: Yes | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 8 | Total Power over Ethernet (PoE) budget: 96 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): -10 - 55 | Storage relative humidity (H-H): 5 - 95 | Storage temperature (T-T): -40 - 70 | Depth: 105 | Height: 28 | Weight: 650 | Width: 240 | Package depth: 239 | Package height: 89 | Package weight: 1400 | Package width: 279 | Compliance certificates: CE/Federal Communications Commission (FCC) | Model name: PFS3110-8ET1GT1GF-96 | Units per Pallet: 0 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.007661 | Unit Calculated Weight: 1.5

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903