

Philips 5000 series 27E1N5500LA/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Gamintojas: **PHILIPS** · Modelis: **27E1N5500LA/00** · EAN: **8712581795085** · Prekės kodas: **683172**



305,90 €

Kaina su PVM

Be PVM: **252,81 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") LCD VA
- ✓ Quad HD 2560 x 1440 pixels 16:9
- ✓ 75 Hz 4 ms 300 cd/m² 4000:1
- ✓ Flicker-free technology
- ✓ F 26 kWh 25.8 W



Aprašymas

Elevate your viewing experience for work and play with Philips. Crystal-clear QHD display delivers precise colour and vivid images from any angle. Ergonomic slim frame with cable management offers a stylish enhancement to your workspace.

Techninė specifikacija

Specifications

Sandėlio grupė

Peripherals & Desktop > Monitors [+2277][[-565]

Display

Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Quad HD
Panel type	VA
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	4000:1
Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
Backlight type	W-LED
Display brightness (typical)	300 cd/m²
Anti-glare screen	Yes
Dynamic contrast ratio marketing name	Mega Infinity DCR
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	1 ms
Pixel pitch	0.2331 x 0.2331 mm
Pixel density	108.79 ppi
Horizontal scan range	30 - 114 kHz
Vertical scan range	48 - 75 Hz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.6 cm
DDC/CI	Yes
Haze rate	25%
Surface hardness	3H
Colour gamut standard	sRGB
sRGB coverage (typical)	118.24%
NTSC coverage (typical)	96.38%
Display sRGB	Yes
Performance	
NVIDIA G-SYNC	No

AMD FreeSync	No
VESA Adaptive Sync support	Yes
Component video sync	Separate Sync
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	6 W
Design	
Market positioning	Home
Product colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
HDMI ports quantity	2
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Audio output	Yes
HDCP	Yes
HDCP version	1.4
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-90 - 90°
Tilt angle range	-5 - 20°
On Screen Display (OSD)	Yes

On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Plug and Play	Yes
LED indicators	Operation, Stand-by
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	26 kWh
Power consumption (typical)	25.8 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	3658 - 12192 m
Weight & dimensions	
Width (with stand)	614 mm
Depth (with stand)	212 mm
Height (with stand)	510 mm
Weight (with stand)	5.66 kg
Width (without stand)	614 mm
Depth (without stand)	52 mm
Height (without stand)	365 mm
Weight (without stand)	3.77 kg
Packaging data	
Package width	780 mm
Package depth	186 mm
Package height	525 mm

Package weight	9.64 kg
Packaging content	
Stand included	Yes
Cables included	HDMI, AC
Manual	Yes
Sustainability	
Doesn't contain	Mercury, PVC/BFR
Sustainability compliance	Yes
Other features	
Compatible operating systems	Mac OS X Windows 11 / 10 / 8.1 / 8 / 7
Exterior finish type	Textured
EasyRead mode	Yes
LowBlue mode	Yes
Compliance certificates	RoHS
Mean time between failures (MTBF)	50000 h
Picture enhancement	SmartImage game
Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; TUV/ISO9241-307; TUV-BAUART
Recycling data	
Recyclable packaging material	100%