

ASUS DRW-08D6MT (OEM) optical disc drive Internal DVD±RW Black

Gamintojas: **ASUS** · Modelis: **90DD0340-B19000** · EAN: **4711636304627** · Prekės kodas: **683537**



47,90 €

Kaina su PVM

Be PVM: **39,59 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Desktop DVD±RW Serial ATA
- ✓ Internal Tray Mounting: Horizontal
- ✓ DVD-R, DVD-RW, DVD-ROM, DVD-RAM, DVD-R DL, CD-R, CD-RW, CD-ROM
- ✓ Black



Aprašymas

DRW-08D6MT is an 8X HH DVD Writer with a compact 140 × 148 × 41 mm (L/W/H) design, which is 30 mm shorter than DRW-24D5MT (170 × 148 × 41 mm), providing more room for airflow and compatibility in the chassis.

Techninė specifikacija

Design

Internal	Yes
Product colour	Black
Disc loading type	Tray

Mounting	Horizontal
Performance	
Purpose	Desktop
Optical drive type	DVD±RW
Interface	Serial ATA
Disc types supported	DVD-R, DVD-RW, DVD-ROM, DVD-RAM, DVD-R DL, CD-R, CD-RW, CD-ROM
Optical disc diameter	120,80 mm
Writing speed	
CD write speed	24x
DVD+R write speed	4x
CD-R write speed	24x
CD-RW write speed	24x
DVD-R Double Layer write speed	6x
DVD+R Double Layer write speed	6x
DVD+RW write speed	8x
DVD-RW write speed	6x
DVD-RAM write speed	5x
Reading speed	
CD read speed	24x
CD-R read speed	24x
CD-RW read speed	24x
CD-ROM read speed	24x
DVD+R read speed	8x
DVD-R read speed	8x
DVD-RW read speed	8x
DVD-RAM read speed	5x
DVD-ROM read speed	8x
DVD-R Double Layer read speed	8x
DVD-Video read speed	4x
DVD+R M-DISC read speed	8x
DVD-ROM Double Layer read speed	8x
Audio CD read speed	10x
DVD+R Double Layer read speed	8x
DVD+RW read speed	8x

Access time

DVD drive average random access time 160 ms

CD-ROM drive average random access time 140 ms

Record modes

Track-at-once (TAO) Yes

Disc-at-once (DAO) Yes

Session-at-once (SAO) Yes

Multi session Yes

Packet writing Yes

Over-burn writing Yes

Sequential writing Yes

Random write Yes

Restricted overwrite Yes

Incremental recording Yes

Operational conditions

Operating relative humidity (H-H) 15 - 80%

Operating temperature (T-T) 5 - 50 °C

Storage temperature (T-T) -30 - 60 °C

Storage relative humidity (H-H) 10 - 90%

Weight & dimensions

Width 148 mm

Depth 140 mm

Height 41 mm

Weight 410 g

Packaging content

Quantity per pack 1 pc(s)

Cables included SATA