

ADATA CACCU3-100W-100AN-BK USB cable USB 3.2 Gen 2 (3.1 Gen 2) 1 m USB C Black

Gamintojas: **ADATA** · Modelis: **CACCU3-100W-100AN-BK** · EAN: **4711658150271** · Prekės kodas: **683648**



25,89 €

Kaina su PVM

Be PVM: **21,40 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Magnetic self-organizing
- ✓ Data transfer rate of up to 10Gbps with USB 3.2 Gen2, supports 4K@60Hz video output
- ✓ Supports PD3.0 and QC3.0 fast charging with a max 100W/5A output on all devices including iPhone 16 series, Android phones, laptops, tablets, and desktops
- ✓ Safe charging with E-marker chip for enhanced charging stability
- ✓ Nylon braided cable rated at over 20,000+ bend lifespan



Aprašymas

Untangle Your Life

The ADATA USB-C to USB-C magnetic cable utilizes magnetically jacketed wiring that automatically returns the cable to its predetermined coil shape. Be free of tangled cables as the ADATA USB-C to USB-C magnetic cable stows perfectly and automatically on the go, on your desktop, and everywhere in between.

4K Ultra HD in Your Pocket

Play 4K UHD video beautifully at 60Hz on the go! The ADATA USB-C to USB-C magnetic cable adopts the USB 3.2 Gen2 standard and features a data transfer rate of 10Gbps. It can effortlessly output 4K@60Hz video directly from your smartphone to a 4K display. With the ADATA USB-C to USB-C

magnetic cable, you will never be limited by transfer speed again!

PD3.0 & QC3.0 Fast Charging

Supports USB Power Delivery and QC charging with fast charger at a maximum charging power of up to 100W. It is suitable for a variety of devices including laptops, iPhone 16 series smartphones, Android phones, tablets, gaming handhelds, game consoles, and Bluetooth headsets. An E-marker chip is embedded in the USB-C charging cable which monitors charging status and intelligently adjusts the current supplied to different devices, effectively stabilizing overall charge quality and ensuring the safety of the charging cable.

Tested to 20,000 Bends

The outer layer of this USB-C charging data transfer cable is strong, highly wear-resistant braided nylon fiber. Its wire core is specially selected to withstand high current and is made of large-diameter tin-plated anti-oxidizing copper, which can isolate electromagnetic interference and reduce noise. This structure improves the transmission efficiency of data and power and has passed 20,000 bend and insertion test cycles, giving it enhanced durability.

Techninė specifikacija

Specifications	
Sandėlio grupė	Cables & Adapters > USB Cables & Adapters [+434][-104]
Features	
USB version	USB 3.2 Gen 2 (3.1 Gen 2)
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Cable jacket material	Nylon
Cable jacket type	Braided
Maximum data transfer rate	10 Gbit/s
Cable type	Round cable
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
Maximum refresh rate	60 Hz
Power	
Output current (max)	5 A
Weight & dimensions	
Cable length	1 m

Weight	58.3 g
--------	--------

Packaging data

Package type	Hanging box
--------------	-------------

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------