



# Switch

## MERCUSYS

### MS108GP PoE+

### ports 7

### MS108GP



Modelis: MS108GP

Gamintojas: MERCUSYS

EAN: 6957939001209

Prekės kodas: 68431

# 31.99€

### 7 PoE+ Ports (65 W Budget) for Network Deployment

All eight ports of the MS108GP are gigabit ports, with seven PoE+ ports (1-7). Each PoE+ port supports a maximum of 30 W and is compliant with the 802.3af/at Powered Devices. The total 65 W PoE power budget\* enables a variety of uses, including surveillance for offices, dormitories, and small businesses. IP cameras, access points, IP phones, PCs, video recorders, and more are all completely compatible with it.

### No Fuss

No need for electricians; simplify installation and deployment.

### Cost-Efficiency

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Getting rid of extra cables and power adapters will save money on infrastructure.

### **Flexibility**

Deployment in complex situations is made possible by more placement possibilities.

### **Power Management**

Improves power usage while intelligently protecting your gadgets from power surges.

### **IEEE 802.3af/at**

PoE ports compliant with the 802.3af/at Powered Devices.

### **Long-Range up to 250 m with Extend Mode\*\***

Extend Mode\*\* increases PoE transmission distance to 250 m. MS108GP has 7 long-range ports with PoE+. Turn on the Extend Mode and make it ideal for installing surveillance cameras over wide areas.

### **Traffic Separation**

With only one click, isolation mode divides traffic for ports 1-7 to prevent snooping/tampering and isolate broadcast storms for greater protection.

### **Port Prioritization**

Prioritizing the data of specific ports would ensure the high quality of delicate applications, such as voice and video, in crucial business domains.

### **Plug and Play**

MS108GP offers auto-negotiation (10/100/1000 M) and automated MDI/MDIX. There is no additional configuration needed. It is simple to use and saves time and effort.

### **Durable and Silent**

MS108GP's durable metal case allows for efficient heat dissipation, excellent signal interference prevention, equipment stability, and long network life.

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

- Full Gigabit Ports: 8× 10/100/1000 Mbps RJ45 ports
- Two Cables in One: With 7 PoE+ ports, transfers data and power on one single cable
- High Power PoE+: Support PoE Power up to 30 W for each PoE port and 65 W for all PoE ports\*
- Long-Range up to 250 m: Increases PoE transmission distance to 250 m by Extend Mode\*
- Isolation Mode: One click to divide traffic for specific ports for stability and security
- Compliant with Powered Devices: Works with IEEE 802.3af/at compliant PDs
- Durable Metal Casing: Allows for efficient heat dissipation and long network life
- Plug and Play: Simple to use and saves time and effort

Summary: Mercusys 8-Port Gigabit Desktop Switch with 7-Port PoE+. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. Full duplex. MAC address table: 8000 entries. Networking standards: IEEE 802.3af, IEEE 802.3at, IEEE 802.3x. Power over Ethernet (PoE). Wall mountable | Vendor Homepage: <https://www.mercusys.com/en/product/details/ms108gp> | Switch type: Managed | Traffic classification: Yes | Web-based management: Yes | Basic switching RJ-45 Ethernet ports quantity: 8 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | 10G support: No | Auto MDI/MDI-X: Yes | Flow control support: Yes | Full duplex: Yes | Half duplex: Yes | Networking standards: IEEE 802.3af/IEEE 802.3at/IEEE 802.3x | Policy-based routing: Yes | MAC address table: 8000 | Store-and-forward: Yes | Housing material: Metal | Product colour: Black | Rack mounting: No | Stackable: No | Wall mountable: Yes | AC input frequency: 50 | AC input voltage: 220 | Input current: 1.31 | Input voltage: 53.5 | Power consumption (max): 77.33 | Power consumption (typical): 5.07 | Power source: AC | Power supply included: Yes | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 7 | Power over Ethernet (PoE) power per port: 65 | Power over Ethernet plus (PoE+) ports quantity: 1 | Heat dissipation: 262.922 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 95 | Storage temperature (T-T): -40 - 70 | Depth: 98 | Height: 27 | Width: 171 | Cables included: AC | Quick start guide: Yes | Model name: MS108GP | Units per Shipping Box: 12 | Unit Calculated Volume: 0.00252 | Unit Calculated Weight: 0.858

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903